

AHLTA Usability AIM form



MAJ Jeremy Johnson
Faculty Development
Fellow



Madigan Army Medical Center





GLOBAL INFORMATION
for **QUALITY CARE**

Goals

- Add the Usability AIM form to your favorites
- Demonstrate the S/O portion of the Usability AIM form
- Conduct a practical exercise using the form

Add the Usability AIM form to
your favorites



File Edit View Go Tools Actions Help

Refresh Open Appt New Appt Print Appts View Comments Cancel Transfer Providers Check-In Check-Out Ins. Form Undo Cancel Close

QQQAATEST, SPOUSEMAMC F 30/800-06-7401 37yo F FM: DOB:24 Feb 1969

Folder List

- Desktop
 - Alert Review
 - Appointments
 - Telephone Consults
 - Search
 - Patient List
 - Consult Log
 - Co-signs
 - Sign Orders
 - New Results
 - Reports
 - Tools
 - Web Browser
 - CHCS-I
 - Immunizations Admin

Change Selections ... My Appointments in All My Clinics for Today only Any Status.

Appt. Date/Time	Patient	Status	Reason for Visit
12 Feb 2007 0800		Complete	NECK CONCERN LABS POS X M
12 Feb 2007 0800		PATIENT CANCELLED	Finger injured and still hurts
12 Feb 2007 0830		Complete	PAIN W/URIN X3 DAYS
12 Feb 2007 0900		PATIENT CANCELLED	allergy con x2mo
12 Feb 2007 0900		Complete	R knee pain x 2 wk/botd
12 Feb 2007 0930		Complete	54y/cncrnd abt thyroid x1d
12 Feb 2007 1000		Complete	BAD COUGH X3DAYS
12 Feb 2007 1015		Complete	fatigue
12 Feb 2007 1030		Complete	3yo cold sx xsev days
12 Feb 2007 1045		Complete	cold and flu symp congestion pain
12 Feb 2007 1100		NO-SHOW	25YO/PE PAP
12 Feb 2007 1700	QQQAATEST, SPOUSEMAMC F	CheckedIn	Test

Double click on your patient to open the encounter.



Date: 19 Feb 2008 0945 PDT

Status: In Progress

Treatment Facility: MADIGAN AMC

Primary Provider: JOHNSON, JEREMY DANIEL

Type: ACUT

Clinic: M FP GOLD TEAM CLINIC

Patient Status: Outpatient

Reason for Appointment: Test

AutoCite... AutoCites Refreshed by JOHNSON, JEREMY D @ 19 Feb 2008 1001 PDT

Allergies

- OTHER Class: Nausea, Rash
- PEANUT OIL (PEANUT OIL): Anaphylaxis
- Penicillins: Swollen ankle, Swollen Lips
- POLLEN-400 (POLLEN EXTRACTS): Rash

Active Medications

Active Medications	Status	
DIPHENHYDRAMINE HCL, 25MG, TABLET, ORAL	Active	OTC
MULTIVITS W-CA,FE,OT/ER MIN, 27-0.4MG, TABLET, ORAL	Active	TWICE

Open the S/O portion of your note.

Screening G0 P0 A0 LC0 Pregnant. LMP: 27 Apr 2007. EDC: 27 Jan 2008.

Vitals

S/O

A/P A/P Written by JOHNSON, JEREMY D @ 19 Feb 2008 2118 PDT

1. PATELLOFEMORAL SYNDROME: Physical therapy handout provided and discussed.

2. PHARYNGITIS ACUTE

Medication(s): -CETYLPYRIDINIUM/BENZOCAINE/MENTH-MH LOZG - DS ONE LOZENGE IN MOUTH P #1 RF0
Qt: 1 Rf: 0 Ordered By: JOHNSON, JEREMY D

Disposition Disposition Written by JOHNSON, JEREMY D @ 22 Feb 2008 0937 PDT

Released w/o Limitations

20 minutes face-to-face/floor time..

- Folder List
 - Sign Orders
 - Consult Log
 - Patient List
 - CHCS-I
 - Reports
 - Tools
 - Web Browser
 - QQQAATEST, SPOL
 - Demographics
 - Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunization
 - Vital Signs R
 - PKC Coupler
 - Readiness
 - Patient Ques
 - BHIE Data V
 - Army Readins
 - Lab
 - Radiology
 - Clinical Notes
 - Previous Encoun
 - Flowsheets
 - Current Encounte
 - Screening
 - Vital Signs Er
 - S/O

<< >> <No Template Selected> AutoNeg ROS/HPI History FamHist Prompt I Prompt ListSize 1

Entry details for current selection

Encounter Background Information:

Medicin (Symptoms)

- encounter background information
- systemic symptoms
- head-related symptoms
- neck symptoms
- eye symptoms
- otolaryngeal symptoms
- breast symptoms
- cardiovascular symptoms
- pulmonary symptoms
- gastrointestinal symptoms
- genitourinary symptoms
- endocrine symptoms
- hematologic symptoms
- musculoskeletal symptoms
- neurological symptoms
- psychological symptoms
- skin symptoms
- pediatric screening
- allergic / immunologic

Click on the Template Mgt button.



Template Mgt

S/O Template Management

Name Contains: usability

FindNow

Folders

Templates

- + My Favorites
- + Personal Templates
- + M FP GOLD TEAM CLINIC Templates

In the search box, type 'Usability' and then click the FindNow box.

S/O Template Management

Name Contains:

FindNow

Folders

Templates

- + My Favorites (9)
- + Personal Templates (15)
- + M FP GOLD TEAM CLINIC Templates (9)
- ~~Name Search (2)~~
 - Usability AIM-AMEDD-RLE-080323b~207 (Department of Defense)
 - Usability AIM~44 (Department of Defense)

Click once on the
Department of Defense
Usability AIM form called:
Usability AIM-AMEDD-RLE-080323b~207

JOHNSON, JEREMY D: Military Clinical Desktop - S/O (Privacy Act of 1974/FOUO)

File Edit View Go Tools Actions Help

Load New SaveAs Edit Delete Search Refresh Import Export Move To Folder Cancel Close

QQQAATEST, SPOUSEMAMC F 30/800-06-7401 39yo F FM: DOB:24 Feb 1969

Folder List

- Sign Orders
- Consult Log
- Patient List
- CHCS-I
- Reports
- Tools
- Web Browser
- QQQAATEST, SPOL
- Demographics
- Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunization
 - Vital Signs R
 - PKC Coupler
 - Readiness

S/O Template Management

Name Contains: usability FindNow Folders

Templates

- My Favorites
- Personal Templates
- M FP GOLD TEAM CLINIC Templates
- Name Search (3)
 - Usability AIM~44 (Department of Defense)
 - Usability (JEREMY D)
 - Usability (TEAM CLINIC BGAA)

Template preview: Usability AIM~44 (Department of Defense)

:-2147483633:HPI / Screening|ROSIPE|M (upper)|Musculoskeletal (lower)|Well Woman|GXT/EKG/PFTs|Other Procedure:

This AIM form requires an addition in the Disposition Module. Click this button.

Noncompliance With Meds~ patient state medications as follows :

- Medical History~: reviewed~
- Current Medications~: Current medication
- Surgical History~: reviewed~
- Family History (1)
- Social History (1)
- Previous Hospitalizations~ that are associated

Usability AIM~44 (Department of Defense)

- New
- Edit
- Delete
- Load
- Move To Folder
- Add to Favorites

Now right click over the selected AIM form and you will get a pick list. Click on "Add to Favorites" from the pick list.

S/O Template Management

Name Contains:

FindNow

Folders

Templates

-   **My Favorites (6)**
 -  DRAFT--FP--Coding--AMEDD (JOHNSON, JEREMY D)
 -  MDAAF 2_25_08~163 (JOHNSON, JEREMY D)
 -  MDAAF 3_2_08~175 (JOHNSON, JEREMY D)
 -  Usability AIM (JOHNSON, JEREMY D)
 -  Usability AIM-AMEDD-RLE-080323b~207 (Department of Defense)
 -  Usability AIM~44 (Department of Defense)
-   **Personal Templates**
-   **M FP GOLD TEAM CLINIC Templates**

You will then see the Usability AIM form added to your Favorite list.

File Edit View Go Tools Actions Help

Load New SaveAs Edit Delete Search Refresh Import Export M

QQQAATEST, SPOUSEMAMC F 30 Refresh Template L

Folder List


S/O Template Management

Name Contains: usability

Templates

- My Favorites (25)
- ALM--Syncope - Fainting--
- BGAT--Low back pain--J

Choose "Refresh" at the top of your screen.



JOHNSON, JEREMY D: Military Clinical Desktop - S/O (Privacy Act of 1974/FOUO)

File Edit View Go Tools Actions Help

Load New SaveAs Edit Delete Search Refresh Import Export Move To Folder Cancel Close

QQQAATEST, SPOUSEMAMC F 30 yo F FM: DOB:24 Feb 1

Folder List

Sign Orders
Consult Log
Patient List
CHCS-I

S/O Template Management

Name Contains: usability


Find Now

Folders

Templates

My F
ICMN FAMILY PRACTICE BG

Now click close.



This form will be toward the bottom of your list with other forms called 'AIM.'

Review S/O portion of the Usability AIM form



<< >> AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Usability AIM Form - 080418

Chief Complaint: Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

>> **This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.**

Visit For: (limit 2000 characters)

Past, Social and Family History
A complete

Past Medical History (1) Note: An

Current Medications

: Current medications reviewed and reconciled.

Review of Immunizations

: up to date

Family History (1)

Noncompliance With Meds

Note: Boxes above are for additional free text entry only, and will not automatically display in Auto-Cites or patients longitudinal Health History.
Use Medication module, Problems module, Historical Procedures module, and Family History module to update items below.

Use the HPI/Screening Tab for chief complaint and Past history, family history, and social history

AIM - Usability AIM

Usability AIM Form - 080418

Chief Complaint:
 Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
 An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.

Visit For: (limit 2000 characters) -- Type <CTRL>+<ENTER> for new line --

Past, Social and Family Hx have 2 potential levels (pertinent and complete). A pertinent contains at least 1 type of history (Past, Social **or** Family).
 A complete for a new patient requires all 3 types of history (Past, Social **and** Family) to be documented.

Past Medical History (1) Note: Any 1 of the 3 history items in blue will give 1 credit towards Past Hx

Current Medications

Medical History

Surgical History

Review of Immunizations

Noncompliance With Meds

Social History (1)

Family History (1)

Note:

Overall layout of the opening screen.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Usability AIM Form - 080418

Chief Complaint: Reviewed Allergies in Autocite

... brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

... This AI ... disposition Module. Click this button for the step required

Visit For:

Past, Social and Family Hx have 2 potential levels (pertinent and complete). A pertinent contains at least 1 type of
A complete for a new patient requires all 3 types of history (Past, Social and Family) to be document

Past Medical History (1) Note: Any 1 of the 3 history items in blue will give 1 credit towards Past Hx

<input checked="" type="checkbox"/> Current Medications : Current medications reviewed and reconciled.	<input checked="" type="checkbox"/> Medical History : reviewed	<input checked="" type="checkbox"/> Surgical History : reviewed
<input type="checkbox"/> Noncompliance With Meds <input type="checkbox"/>		<input checked="" type="checkbox"/> Review of Immunizations : up to date

Note: Boxes above are for additional free text entry only, and will not automatically display in Auto-Cites or patients longitudinal Health History.
Use Medication module, Problems module, Historical Procedures module, and Family History module to update items below

Can type Chief complaint here.

If you want to indicate you reviewed allergies, click here.

<< >> AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Usability AIM Form - 080418

Chief Complaint: Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

>> This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.

Visit For: Limit 2

Past, Social

Past Medical History

Current Medication
: Current medications reviewed and reconciled.

Noncompliance

Note: Boxes above
Use Medication

History (1)

History (1)

This section reminds you of the coding rules for HPI. An extended HPI (99214 level) consists of 4 of 8 elements from the list or the status of 3 chronic conditions. This will be important in the disposition section.

<< >> AIM - Usability AIM [minus] AutoNeg [dropdown] Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Usability AIM Form - 080418

Chief Complaint: Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

>> **This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.**

Visit For: (limit 2000 characters) -- Type <CTRL>+<ENTER> for new line --

Past, Social and Family Hx have 2 potent...
A complete for a new patier...

Past Medical History (1) Note: Any 1 of the 3 histo...

Current Medications **Medical**

: Current medications reviewed and reconciled. : reviewed

Noncompliance With Meds

Note: Boxes above are for additional free text entry
Use Medication module. Problems module. H

If you click this button, you will see the additional coding step required in the disposition section if you use free text to document your HPI.

<< >> AIM - Usability AIM~44 AutoNeg Undo Details Browse Shift Browse Note View
 HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman GXT/EKG/PFTs Other Procedures Outline View

Usability AIM - AMEDD - 080307

Chief Complaint: Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
 An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.

Using free text on the HPI of this AIM form may result in only getting credit for 1 HPI element in the Disposition Module.

HPI		ROS		
1	2	1	2	3

If selecting the <2> under HPI is sufficient for a 99214, it will be listed under <With User overrides>. Just click this button to capture a 99214 for your code. This is done because the HPIcalculator in AHLTA cannot read free text very well.

If you cover at least 4 of the 8 listed elements under HPI, then you should click the <2> button under HPI in the Disposition Module.

HPI		ROS		
1	2	1	2	3

Default Calculation: 99213 - Estab Outpatient Expanded H&P - Low Complexity Decisions

With User overrides: 99214 - Estab Outpatient Detailed H&P - Moderate Complexity Decisions

Clicking that button shows you that if you use free text in your note, and you covered 4 of 8 elements, or 3 chronic conditions, you need to select the 2 button under HPI in the disposition section and Choose the “With user overrides” button to get the proper code.

<< >> AIM - Usability AIM [minus] AutoNeg [dropdown] Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Usability AIM Form - 080418

Chief Complaint: Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

>> **This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.**

Visit For: (limit 2000 characters) -- Type <CTRL>+<ENTER> for new line --

Past, Social a

Past Medical History (Current Medication

: Current medications reviewed and reconciled.

Noncompliance With Meds

Note: Boxes above are for additional free text entry only, and will not automatically display in Auto-Cites or patients longitudinal Health History.
Use Medication module, Problems module, Historical Procedures module, and Family History module to update items below

Use this box to free text your entire HPI.

A nice reminder here that to get a new line while typing use: CTRL + Enter.

<< >> AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

You can click these boxes to indicate you reviewed the patient's past history, or you can click them to free text these items. Only one of these boxes must be clicked for a 99214 level exam.

Past, Social and Family Hx have 2 potential levels (pertinent and complete). A pertinent contains at least 1 type of history (Past, Social or Family). A complete for a new patient requires all 3 types of history (Past, Social and Family) to be documented.

Past Medical History (1) Note: Any 1 of the 3 history items in blue will give 1 credit towards Past Hx

Current Medications : Current medications reviewed and reconciled.

Medical History : reviewed

Surgical History : reviewed

Review of Immunizations : up to date

Social History (1)

Family History (1)

Noncompliance With Meds

Note: Boxes above are for additional free text entry only, and will not automatically display in Auto-Cites or patients longitudinal Health History. Use Medication module, Problems module, Historical Procedures module, and Family History module to update items below.

<< >> AIM - Usability AIM [minus] AutoNeg [dropdown] Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Usability AIM Form - 080418

Chief Complaint: Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

>> **This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.**

Visit For: (limit 2000 characters) -- Type <CTRL>+<ENTER> for new line --

Past, Social and Family Hx have 2 potential levels (pertinent and complete). A pertinent contains at least 1 type of history (Past, Social or Family).
A complete for a new patient requires all 3 types of history (Past, Social and Family) to be documented.

Past Medical History (1) Note: Any 1 of the 3 history items in blue will give 1 credit towards Past Hx

Current Medications : Current medications reviewed and reconciled. **Medical History** : reviewed **Surgical History** : reviewed

Social History (1)

Review of Immunizations : up to date **Family History (1)**

Noncompliance With Meds

Note: Boxes above are for additional free text entry only, and will not automatically display in Auto-Cites or patients longitudinal Health History.
Use Medication module, Problems module, Historical Procedures module, and Family History module to update items below

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Usability AIM Form - 080418

Chief Complaint: Reviewed Allergies in Autocite

A brief HPI consists of at least 1-3 of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
An extended HPI consists of at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

Click this button for the step required.

contains at least 1 type of history (Past, Social or Family).
Family) to be documented.

Social History (1)

Family History (1)

Review of Immunizations

: up to date

Noncompliance With Meds

Note: Boxes above are for additional free text entry only, and will not automatically display in Auto-Cites or patients longitudinal Health History.
Use Medication module, Problems module, Historical Procedures module, and Family History module to update items below.

As you use the bar to scroll down this tab you can get to other areas to enter historical information and JCAHO information.

<< >> AIM - MOAAF~134 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

Visit for a Physical: <---- Click to select the appropriate term

Previous Hospitalizations that are associated with the reason for this encounter:

Previous ER Visits that are associated with the reason for this encounter:

Prior Tests at non-MHS facility that relate to this encounter includes:

Source of information: Patient Other Sources: <---- Click to select the appropriate term

Reliability of source:

Branch of Service: USA USN USAF USMC **Status:** Active Duty Reservist Retired

Visit Is Deployment-related
 If 'YES', please type in the Location of Deployment

Visit Is GWOT-related
 NOTE: Use for resource management tracking of visits.

<p>Learning and Understanding</p> <input type="checkbox"/> <input type="checkbox"/> Learning Disability (barriers to learning) <input type="text"/>	<p>Vitamins/Herbals/OTCs</p> <input type="checkbox"/> <input type="checkbox"/> Taking Vitamin Supplements <input type="text"/>
<input type="checkbox"/> Patient verbalized understanding and accepted instructions. <input type="text"/>	<input type="checkbox"/> <input type="checkbox"/> Herbal Medicines <input type="text"/>
	<input type="checkbox"/> <input type="checkbox"/> Taking OTC Medications <input type="text"/>
	<input type="checkbox"/> <input type="checkbox"/> Taking Dietary Supplements <input type="text"/>

Other information on history
 can be entered here.

Tobacco Use

Types of Tobacco Products: <---- Click to select the appropriate term

Number of cigarette PACK-YEARS (pack-years) <---- Equals the (NUMBER of packs smoked per day) X (Number of YEARS the patient has smoked)

Alcohol Use

Beer Consumption (bottles per day) Hard Liquor Consumption (drinks/day)

Wine Consumption (glasses/day)

Female Data ONLY

Please ensure information is placed in the PSH

Date Of Last Period **If Pregnant:**

Menstrual Bleeding Lasts: At the very least, make sure this data is entered in the Screening module.

Age at Menarche:

Menopause occurred at Age:

Pregnant For ___ Weeks Based On LMP

Term Deliveries

Number of Premature Deliveries

Frequency of Period <---- Click to select the appropriate term

Bleeding Between Periods <---- Click to select the appropriate term

Excessive Menstrual Bleeding

Severe Menstrual Pain

Less Menstrual Bleeding

Presently using Birth Control

Withdrawal Method

Rhythm Method

Diaphragm

Condoms

Oral Contraceptives

Transdermal Patch

Intrauterine Device (iud)

Subdermal Contraceptive Implant

Intramuscular Injection

Specific social and Female history

<< >> AIM - MOAAF~134 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View



Female Data ONLY
Please ensure information is placed in the PSH

Date Of Last Menstruation Onset If P
Menstrual Bleeding Lasts: (days) Preg
Age at Menarche: (years old) Term
Menopause occurred at Age: Num

Frequency of Period
 Bleeding Between Periods
 Excessive Menstrual Bleeding
 Severe Menstrual Pain
 Less Menstrual Bleeding

Presently using Birth Control
 Withdrawal Method
 Rhythm Method
 Diaphragm
 Condoms
 Oral Contraceptives
 Intrauterine Device (iud)
 Subdermal Contraceptive Implant
 Intramuscular Injection

Scroll up to the top of this page and click the ROS tab.



The ROS/HPI Flip



<< >> AIM - MOAAF~134 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

ROS: Problem Pertinent (1 system) - Directly related to patient problem
Extended (2-9 systems) - Directly related to patient problem in HPI and limited number of additional systems
Comprehensive (10 or more systems) - Directly related to patient problem in HPI plus all additional body systems

Review of Systems [dropdown] [checkbox] [checkbox] ROS Unobtainable [checkbox] [ROS]

Additional Review of Systems Information:
[text area]

Constitutional [Y] [N] [dropdown] [checkbox] [ROS]
[Y] [N] Fever [dropdown] [checkbox] [ROS]
[Y] [N] Chills [dropdown] [checkbox] [ROS]
[Y] [N] Sweating Heavily At Night [dropdown] [checkbox] [ROS]
[Y] [N] Wt loss (lbs) [dropdown] [checkbox] [ROS]
[Y] [N] Gen pain [dropdown] [checkbox] [ROS]

Head Related [Y] [N] [dropdown] [checkbox] [ROS] [Y] [N] Facial Pain [dropdown] [checkbox] [ROS]
[Y] [N] Headache [checkbox] [ROS]

Eye Sx [Y] [N]
[Y] [N] Eyesight problems [checkbox] [ROS]
[Y] [N] Eye Pain [checkbox] [ROS]

ENT Sx [Y] [N]
[Y] [N] Earache [checkbox] [ROS]

If you wanted to use this form to document HPI findings, you can click Y here and free text any further data. Then click the ROS button to **flip** this to an HPI item.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE **Musculoskeletal (upper)** Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Cardiovascular Y N RDS

Y N Chest pain RDS Y N Palpitations RDS

Musculoskeletal Y N RDS

(Use the musculoskeletal specific tabs for comprehensive evaluations.)

Y N Limb Pain RDS Y N Joint Pain, Localized RDS

Y N Limb Swelling RDS Y N Joint Swelling, Localized RDS

Y N Back Pain RDS

Gastrointestinal Y N RDS

Y N Heartburn RDS Y N Diarrhea RDS

Y N Abdominal pain RDS Y N Constipation RDS

Y N Nausea RDS Y N Bright Red Blood Per Rectum RDS

Y N Vomiting RDS

Genitourinary Y N RDS

Y N Dysuria RDS Y N Flank Pain RDS

Y N Urinary Frequency RDS Y N Urinary Loss Of Control RDS

Y N Urinary Urgency RDS Y N Vaginal Discharge RDS

Y N Blood In The Urine RDS Y N Abnormal Urethral Discharge RDS

Additional ROS. Of note, the musculoskeletal tabs on this AIM form offer much better musculoskeletal ROS.

<< >> AIM - MOAAF Long~141 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

Breast Sx Y N RDS
 Y N Pain RDS Y N Lump RDS

Skin Sx Y N RDS
 Y N Lesions RDS A N Nails RDS

Neurological Sx Y N RDS
 Y N Lightheadedness RDS Y N Fainting (syncope) RDS
 Y N Vertigo RDS Y N Motor Disturbances RDS

Psychological Sx Y N RDS
 Y N Anxiety RDS Y N Decreased Functioning Ability RDS
 Y N Depression RDS Y N **Thinking About Suicide** RDS
 Y N Sleep disturbances RDS Y N **Homicidal Thoughts** RDS
 Y N Anhedonia RDS

Click the 'PE' tab to go to the physical exam

Additional ROS.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PETs/Others Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas

Quick Physical Exam Entry for Normal Findings

View Print Refresh Save Cancel OK Help

Cons Gen App A Male Female

Breasts (3) **Normal** Appearance Palpation Axillary Nodes not Enlarged

Skin (1) **Normal** No Lesions No Bruising

Neuro (4) **Normal** CN II-XII DTRs Balance Gait and Stance Sensation Cerebellar

Psych (1) **Normal** Mood Affect

Extremities (1) **Normal** No Edema - Credits under Cardiovascular section -

Other Physical Findings [limit 2000 chars]

NOTE: Select a minimum of 1 bullet under each bolded subsection below to receive maximum coding credit for that subsection.

The top of the physical exam tab has coding reminders. The detailed level (99214 level) requires 12 bullets from 2 or more body areas.

<< >> AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas

Quick Physical Exam Entry for Normal Findings

Vital Signs (1) <input type="checkbox"/>	Reviewed	<input checked="" type="checkbox"/> T <input checked="" type="checkbox"/> P <input checked="" type="checkbox"/> R <input checked="" type="checkbox"/> SBP
Constitutional (1)	Normal	<input checked="" type="checkbox"/> WD <input checked="" type="checkbox"/> WN <input checked="" type="checkbox"/> NAD
Gen Appearance (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Oriented x3 - Credits under Psychiatric section -
Eyes (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> PERRL <input checked="" type="checkbox"/> Sclera <input checked="" type="checkbox"/> Conjunctiva
ENT (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> TMs <input checked="" type="checkbox"/> Posterior Pharyngeal Wall
Neck (3) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Non-tender <input checked="" type="checkbox"/> Thyroid Lymph Nodes Not Enlarged: <input checked="" type="checkbox"/> Cervical <input checked="" type="checkbox"/> Submandibular <input checked="" type="checkbox"/> Supraclavicular
Lungs (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> CTA <input checked="" type="checkbox"/> No Wheezing <input checked="" type="checkbox"/> No Rales <input checked="" type="checkbox"/> No Rhonchii
Heart (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> RRR <input checked="" type="checkbox"/> S1 <input checked="" type="checkbox"/> S2 <input type="checkbox"/> S3 <input type="checkbox"/> S4 <input type="checkbox"/> Murmurs <input type="checkbox"/> Rub <input type="checkbox"/> Gallop
Abdomen (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> BS <input checked="" type="checkbox"/> NT <input checked="" type="checkbox"/> ND <input type="checkbox"/> Mass <input checked="" type="checkbox"/> Spleen <input checked="" type="checkbox"/> Liver
Male Genitalia (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Penis <input checked="" type="checkbox"/> Testes <input checked="" type="checkbox"/> Prostate
Female Genitalia (4) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Ext. Genitalia <input checked="" type="checkbox"/> Vagina <input checked="" type="checkbox"/> Cervix <input checked="" type="checkbox"/> Uterus <input checked="" type="checkbox"/> Adnexae <input checked="" type="checkbox"/> CMT
Breasts (3) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Palpation <input checked="" type="checkbox"/> Axillary Nodes not Enlarged
Skin (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> No Lesions <input checked="" type="checkbox"/> No Bruising
Neuro (4) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> CN II-XII <input checked="" type="checkbox"/> DTRs <input checked="" type="checkbox"/> Balance <input checked="" type="checkbox"/> Gait and Stance <input checked="" type="checkbox"/> Sensation <input checked="" type="checkbox"/> Cerebellar
Psych (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Mood <input checked="" type="checkbox"/> Affect
Extremities (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> No Edema - Credits under Cardiovascular section -
<input checked="" type="checkbox"/> Other Physical Findings (limit 2000 chars)		
<div style="border: 1px solid black; height: 20px;"></div>		

Use the quick entry 'Normal' buttons to annotate that all findings listed to the right are normal.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas

Quick Physical Exam Entry for Normal Findings

Vital Signs (1) <input type="checkbox"/>	Reviewed	<input checked="" type="checkbox"/> T	<input checked="" type="checkbox"/> P	<input checked="" type="checkbox"/> R	<input checked="" type="checkbox"/> SBP
Constitutional (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> WD	<input checked="" type="checkbox"/> WN	<input checked="" type="checkbox"/> NAD	
Gen Appearance (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Oriented x3	- Credits under Psychiatric section -		
Eyes (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> PERRL	<input checked="" type="checkbox"/> Sclera	<input checked="" type="checkbox"/> Conjunctiva	
ENT (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> TMs	<input checked="" type="checkbox"/> Posterior Pharyngeal Wall		
Neck (3) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Not tender	<input checked="" type="checkbox"/> Thyroid	Lymph Nodes Not Enlarged: <input checked="" type="checkbox"/> Cervical <input checked="" type="checkbox"/> Submandibular <input checked="" type="checkbox"/> Supraclavicular	
Lungs (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> CTA	<input checked="" type="checkbox"/> No Wheezing	<input checked="" type="checkbox"/> No Rales	<input checked="" type="checkbox"/> No Rhonchii
Heart (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> RRR	<input checked="" type="checkbox"/> S1		
Abdomen (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> BS	<input checked="" type="checkbox"/> NT		
Male Genitalia (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Penis	<input checked="" type="checkbox"/> Testes		
Female Genitalia (4) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Ext. Genitalia			
Breasts (3) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Appearance			
Skin (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> No Lesions			
Neuro (4) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> CN II-XII	<input checked="" type="checkbox"/> DTRs		
Psych (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Mood	<input checked="" type="checkbox"/> Affect		
Extremities (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> No Edema			
<input checked="" type="checkbox"/> Other Physical Findings [limit 2000 chars]					

Clicking Reviewed here will check all of the following vital signs as reviewed. The same applies to all other buttons labeled 'Normal'.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening | RDS | PE | Musculoskeletal (upper) | Musculoskeletal (lower) | Well Woman | Common Procedures | GXT/EKG/PFTs/Others | Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas

Quick Physical Exam Entry for Normal Findings

Vital Signs (1) <input type="checkbox"/>	Reviewed <input checked="" type="checkbox"/>	T <input checked="" type="checkbox"/>	P <input checked="" type="checkbox"/>	R <input checked="" type="checkbox"/>	SBP <input checked="" type="checkbox"/>
Constitutional (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	WD <input checked="" type="checkbox"/>	WN <input checked="" type="checkbox"/>	NAD <input checked="" type="checkbox"/>	
Gen Appearance (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Oriented x3 - Credits under Psychiatric section -			
Eye (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	PERRL <input checked="" type="checkbox"/>	Sclera <input checked="" type="checkbox"/>	Conjunctiva <input checked="" type="checkbox"/>	
ENT (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	TMs <input checked="" type="checkbox"/>	Posterior Pharyngeal Wall <input checked="" type="checkbox"/>		
Neck (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Non-tender <input checked="" type="checkbox"/>	Thyroid <input checked="" type="checkbox"/>	Lymph Nodes Not Enlarged: <input checked="" type="checkbox"/>	Cervical <input checked="" type="checkbox"/> Submandibular <input checked="" type="checkbox"/> Supraclavicular <input checked="" type="checkbox"/>
Lungs (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	CTA <input checked="" type="checkbox"/>	No Wheezing <input checked="" type="checkbox"/>	No Rales <input checked="" type="checkbox"/>	No Rhonchii <input checked="" type="checkbox"/>
Heart (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	BBB <input checked="" type="checkbox"/>	S1 <input checked="" type="checkbox"/>	S2 <input checked="" type="checkbox"/>	S3 <input checked="" type="checkbox"/> S4 <input checked="" type="checkbox"/> Murmurs <input checked="" type="checkbox"/> Rub <input checked="" type="checkbox"/> Gallop <input checked="" type="checkbox"/>
Abdomen (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
Male Genitalia (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
Female Genitalia (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
Breasts (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
Skin (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
Neuro (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
Psych (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
Extremities (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>				
<input checked="" type="checkbox"/> Other Physical Findings [limit 2000 c					

The number next to the body system listed shows you how many physical exam bullets you get for clicking each 'Normal' button

AIM - Usability AIM~44 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman GXT/EKG/PFTs Other Procedures Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas

Quick Physical Exam Entry for Normal Findings

Vital Signs (1) <input type="checkbox"/>	Reviewed	<input checked="" type="checkbox"/> T	<input checked="" type="checkbox"/> P	<input checked="" type="checkbox"/> R	<input checked="" type="checkbox"/> SBP
Constitutional (1)	Normal	<input checked="" type="checkbox"/> WD	<input checked="" type="checkbox"/> WN	<input checked="" type="checkbox"/> NAD	
Gen Appearance (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Oriented x3	- Credits under Psychiatric section -		
Eyes (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> PERRL	<input checked="" type="checkbox"/> Sclera	<input checked="" type="checkbox"/> Conjunctiva	
ENT (2) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> TMs	<input checked="" type="checkbox"/> Posterior Pharyngeal Wall		
Neck (3) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> Non-tender	<input checked="" type="checkbox"/> Thyroid	Lymph Nodes Not Enlarged: <input checked="" type="checkbox"/> Cervical <input checked="" type="checkbox"/> Submandibular <input checked="" type="checkbox"/> Supraclavicular	
Lungs (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> CTA	<input checked="" type="checkbox"/> No Wheezing	<input checked="" type="checkbox"/> No Rales	<input checked="" type="checkbox"/> No Rhonchi
Heart (1) <input type="checkbox"/>	Normal	<input checked="" type="checkbox"/> RRR	<input type="checkbox"/> S1	<input type="checkbox"/> S2	<input type="checkbox"/> S3 <input type="checkbox"/> S4 <input type="checkbox"/> Murmurs <input type="checkbox"/> Rub <input type="checkbox"/> Gallop
Abdomen (2) <input type="checkbox"/>					
Male Genitalia (1) <input type="checkbox"/>					
Female Genitalia (4) <input type="checkbox"/>					
Breasts (3) <input type="checkbox"/>					
Skin (1) <input type="checkbox"/>					
Neuro (4) <input type="checkbox"/>					
Psych (1) <input type="checkbox"/>					
Extremities (1) <input type="checkbox"/>					

If you didn't examine one of the findings listed, or one of the findings was not normal, you can click on the 'X' next to the finding to remove it.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas

Quick Physical Exam Entry for Normal Findings

Vital Signs (1) <input type="checkbox"/>	Reviewed <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> T <input checked="" type="checkbox"/> P <input checked="" type="checkbox"/> R <input checked="" type="checkbox"/> SBP
Constitutional (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> WD <input checked="" type="checkbox"/> WN <input checked="" type="checkbox"/> NAD
Gen Appearance (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Oriented x3 - Credits under Psychiatric section -
Eyes (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> PERRL <input checked="" type="checkbox"/> Sclera <input checked="" type="checkbox"/> Conjunctiva
ENT (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> TMs <input checked="" type="checkbox"/> Posterior Pharyngeal Wall
Neck (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Submandibular <input checked="" type="checkbox"/> Supraclavicular
Lungs (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input type="checkbox"/> Gallop
Heart (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	
Abdomen (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	
Male Genitalia (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	
Female Genitalia (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Ext. Genitalia <input checked="" type="checkbox"/> Vagina <input checked="" type="checkbox"/> Cervix <input checked="" type="checkbox"/> Uterus <input checked="" type="checkbox"/> Adnexae <input checked="" type="checkbox"/> CMT
Breasts (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Palpation <input checked="" type="checkbox"/> Axillary Nodes not Enlarged
Skin (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> No Lesions <input checked="" type="checkbox"/> No Bruising
Neuro (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> CN II-XII <input checked="" type="checkbox"/> DTRs <input checked="" type="checkbox"/> Balance
Psych (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Mood <input checked="" type="checkbox"/> Affect
Extremities (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> No Edema - Credits under Cardio

Other Physical Findings [limit 2000 chars]

NOTE: Select a minimum of 1 bullet under each bolded subsection

MedActiveForms

Are you sure you want to remove: The thyroid showed no abnormal ...?

Click 'OK' and the finding will be removed.

<< >> AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas

Quick Physical Exam Entry for Normal Findings

Vital Signs (1) <input type="checkbox"/>	Reviewed <input checked="" type="checkbox"/>	T <input checked="" type="checkbox"/> P <input checked="" type="checkbox"/> R <input checked="" type="checkbox"/> SBP
Constitutional (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	WD <input checked="" type="checkbox"/> WN <input checked="" type="checkbox"/> NAD
Gen Appearance (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Oriented x3 - Credits under Psychiatric section -
Eyes (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	PERRL <input checked="" type="checkbox"/> Sclera <input checked="" type="checkbox"/> Conjunctiva
ENT (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	TMs <input checked="" type="checkbox"/> Posterior Pharyngeal Wall
Neck (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Non-tender <input checked="" type="checkbox"/> Thyroid Lymph Nodes Not Enlarged: <input checked="" type="checkbox"/> Cervical <input checked="" type="checkbox"/> Submandibular <input checked="" type="checkbox"/> Supraclavicular
Lungs (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	CTA <input checked="" type="checkbox"/> No Wheezing <input checked="" type="checkbox"/> No Rales <input checked="" type="checkbox"/> No Rhonchii
Heart (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	RRR <input checked="" type="checkbox"/> S1 <input type="checkbox"/> S2 <input type="checkbox"/> S3 <input type="checkbox"/> S4 <input type="checkbox"/> Murmurs <input type="checkbox"/> Rub <input type="checkbox"/> Gallop
Abdomen (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	BS <input checked="" type="checkbox"/> NT <input checked="" type="checkbox"/> ND <input type="checkbox"/> Mass <input checked="" type="checkbox"/> Spleen <input checked="" type="checkbox"/> Liver
Male Genitalia (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Penis <input checked="" type="checkbox"/> Testes <input checked="" type="checkbox"/> Prostate
Female Genitalia (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Ext. Genitalia <input checked="" type="checkbox"/> Vagina <input checked="" type="checkbox"/> Cervix <input checked="" type="checkbox"/> Uterus <input checked="" type="checkbox"/> Adnexae <input checked="" type="checkbox"/> CMT
Breasts (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Appearance <input checked="" type="checkbox"/> Palpation <input checked="" type="checkbox"/> Axillary Nodes not Enlarged
Skin (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	No Lesions <input checked="" type="checkbox"/> No Bruising
Neuro (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	CN II-XII <input checked="" type="checkbox"/> DTRs <input checked="" type="checkbox"/> Balance <input checked="" type="checkbox"/> Gait and Stance <input checked="" type="checkbox"/> Sensation <input checked="" type="checkbox"/> Cerebellar
Psych (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	Mood <input checked="" type="checkbox"/> Affect
Extremities (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	No Edema - Credits under Cardiovascular section -
<input checked="" type="checkbox"/> Other Physical Findings [limit 2000 chars]		

Thyroid is no longer checked.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

PE: **Problem Focused:** 1-5 bullets from 1 or more body areas **Expanded Problem Focused:** 6 bullets from one or more body areas
Detailed: 2 bullets from 6 or more body areas; or 12 bullets from 2 or more body areas **Comprehensive:** 2 bullets from 9 body areas


Quick Physical Exam Entry for Normal Findings

Vital Signs (1) <input type="checkbox"/>	Reviewed <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> T	<input checked="" type="checkbox"/> P	<input checked="" type="checkbox"/> R	<input checked="" type="checkbox"/> SBP
Constitutional (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> WD	<input checked="" type="checkbox"/> WN	<input checked="" type="checkbox"/> NAD	
Gen Appearance (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Oriented x3	- Credits unde		
Eyes (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> PERRL	<input checked="" type="checkbox"/> Sclera	<input type="checkbox"/>	
ENT (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> TMs	<input checked="" type="checkbox"/> Posterior Pharynx		
Neck (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Non-tender	<input checked="" type="checkbox"/> Thyroid		mandibular <input checked="" type="checkbox"/> Supraclavicular
Lungs (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> CTA	<input checked="" type="checkbox"/> No Wheezing		
Heart (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> RRR	<input checked="" type="checkbox"/> S1	<input checked="" type="checkbox"/> S2	
Abdomen (2) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> BS	<input checked="" type="checkbox"/> NT	<input checked="" type="checkbox"/> ND	
Male Genitalia (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Penis	<input checked="" type="checkbox"/> Testes	<input checked="" type="checkbox"/> P	
Female Genitalia (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Ext. Genitalia	<input checked="" type="checkbox"/> Vagina		
Breasts (3) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Appearance	<input checked="" type="checkbox"/> Palpation		
Skin (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> No Lesions	<input checked="" type="checkbox"/> No Bruis		
Neuro (4) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> CN II-XII	<input checked="" type="checkbox"/> DTRs	<input checked="" type="checkbox"/>	Cerebellar
Psych (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Mood	<input checked="" type="checkbox"/> Affect		
Extremities (1) <input type="checkbox"/>	Normal <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> No Edema	- Credits unde		

Other Physical Findings [limit 2000 chars]

NOTE: Select a minimum of 1 bullet under each bolded subsection below to receive maximum coding credit for that subsection.

Scroll down to document abnormal findings or more complex findings.



<< >> AIM - MOAAF~134 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

Other Physical Findings [limit 2000 chars]

NOTE: Select a minimum of 1 bullet under each bolded subsection below to receive maximum coding credit for that subsection.

Constitutional [1]

General Appearance

Well Developed

Well Nourished

No Acute Distress

Eye [3]

Inspect conjunctivae and lids

Conjunctiva

Sclera

Eyelids

Ophthalmoscopic exam of optic discs

Optic Disc

Retina

ENT [6]

External inspection of ears and nose

Outer Ear

A more comprehensive physical exam is possible in this section. The number next to the body area tells you the maximum number of physical exam bullets you can get in each section. To get a physical exam bullet, check one or more findings under a bolded term.

AIM - MOAAF~134 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

Other Physical Findings [limit 2000 chars]

NOTE: Select a minimum of 1 bullet under each bolded subsection below to receive maximum coding credit for that subsection.

Constitutional [1] **Vital Signs [check 3 for one bullet]**

<input type="checkbox"/> <input type="checkbox"/> General Appearance	<input checked="" type="checkbox"/> Temperature
<input type="checkbox"/> <input type="checkbox"/> Well Developed	<input checked="" type="checkbox"/> Pulse Rate
<input type="checkbox"/> <input type="checkbox"/> Well Nourished	<input checked="" type="checkbox"/> Respiratory Rate
<input type="checkbox"/> <input type="checkbox"/> No Acute Distress	<input checked="" type="checkbox"/> SBP
	<input checked="" type="checkbox"/> Diastolic Blood Pressure

Eye [3]

Inspect conjunctivae and lids **Exam of pupils and irises**

<input type="checkbox"/> <input type="checkbox"/> Conjunctiva	<input type="checkbox"/> <input type="checkbox"/> PERRL
<input type="checkbox"/> <input type="checkbox"/> Sclera	
<input type="checkbox"/> <input type="checkbox"/> Eyelids	

Ophthalmoscopic exam of optic discs

<input type="checkbox"/> <input type="checkbox"/> Optic Disc	
<input type="checkbox"/> <input type="checkbox"/> Retina	

ENT [6]

External inspection of ears and nose

<input type="checkbox"/> <input type="checkbox"/> Outer Ear	
---	--

For example, selecting one or more of the terms under Ophthalmoscopic exam will give you one coding bullet.

AIM - M0AAF~134 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

Other Physical Findings [limit 2000 chars]

NOTE: Select a minimum of 1 bullet under each bolded subsection below to receive maximum coding credit for that subsection.

Constitutional (1) **Vital Signs (check 3 for one bullet)**

<input type="checkbox"/> <input type="checkbox"/> General Appearance	<input checked="" type="checkbox"/> Temperature
<input type="checkbox"/> <input type="checkbox"/> Well Developed	<input checked="" type="checkbox"/> Pulse Rate
<input type="checkbox"/> <input type="checkbox"/> Well Nourished	<input checked="" type="checkbox"/> Respiratory Rate
<input type="checkbox"/> <input type="checkbox"/> No Acute Distress	<input checked="" type="checkbox"/> SBP
	<input checked="" type="checkbox"/> Diastolic Blood Pressure

Eye (3)

Inspect conjunctivae and lids

<input type="checkbox"/> <input type="checkbox"/> Conjunctiva	<input type="checkbox"/> <input type="checkbox"/> PERRL
<input type="checkbox"/> <input type="checkbox"/> Sclera	<input type="checkbox"/> <input type="checkbox"/> Pupil Accommodation
<input type="checkbox"/> <input type="checkbox"/> Eyelids	<input type="checkbox"/> <input type="checkbox"/> Pupil Size (mm)

Ophthalmoscopic exam of optic discs

<input type="checkbox"/> <input type="checkbox"/> Optic Disc	
<input type="checkbox"/> <input type="checkbox"/> Retina	

ENT (6)

External inspection of ears and nose

<input type="checkbox"/> <input type="checkbox"/> Outer Ear	Otoscopic exam of external auditory canals
	<input type="checkbox"/> <input type="checkbox"/> Ext. Auditory Meatus

Scroll down for more physical exam options.

AIM - MOAAF Long~141 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

ENT (6)

External inspection of ears and nose

Outer Ear

External Nasal Deformity

Nasal Discharge

Sinus Tenderness

Inspect nasal mucosa, septum, and turbinates

Nasal Mucosa

Nasal Septum

Nasal Turbinate Swollen

Nasal Turbinate Erythematous

Otoscopic exam of external auditory canals

Ext. Auditory Meatus

TMs

Assess hearing

Hearing

Inspect lips, teeth, and gums

Lip Findings

Exam of oropharynx

Buccal Mucosa

Tonsils

Posterior Pharyngeal Wall

Neck (2)

Exam of neck

Exam of the Neck

Neck Palpation

Decreased Suppleness

Exam of thyroid

Thyroid

^^NOTE: (not used for coding credit)

Anything that doesn't give you coding credit will be annotated. Here sinus tenderness does not give coding credit.

AIM - MOAAF Long~141 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

Respiratory (4)

Assess respiratory effort

Respiration, Rhythm And Depth

Exaggerated Accessory Muscle Use

Percussion of chest

Lungs Percussion

Palpation of chest

Vocal Fremitus

Auscultation of lungs

Auscultation

Wheezing Heard

Rales Heard

Rhonchii Heard

Cardiovascular (7)

Palpation of heart

Thrill

Auscultation of heart

Heart Sounds S1 - S2:

S3 Heard

S4 Heard

Click Heard

Friction Rub

Murmurs

Exam of carotid arteries

Carotid Bruit

Exam of abdominal aorta

Abdominal Bruit

Exam of pedal pulses

Dorsalis Pedis Pulses

Exam of femoral arteries

Femoral Pulse

Exam of extremities

Edema

Veins - Palpable Cord

Varicosital Changes

A more thorough heart and lung exam is possible here (with several PE bullets).

AIM - MOAAF Long~141 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE **Musculoskeletal (upper)** Musculoskeletal (lower) Well Woman PFTs/EKG Procedures Outline View

Musculoskeletal

<input type="checkbox"/> <input type="checkbox"/> Thoracolumbar Spine	<input type="checkbox"/> <input type="checkbox"/> Wrists
<input type="checkbox"/> <input type="checkbox"/> Cervical Spine	<input type="checkbox"/> <input type="checkbox"/> Hands
<input type="checkbox"/> <input type="checkbox"/> LS Spine	<input type="checkbox"/> <input type="checkbox"/> Fingers
<input type="checkbox"/> <input type="checkbox"/> Gross Movement of Extremities	<input type="checkbox"/> <input type="checkbox"/> Hips
<input type="checkbox"/> <input type="checkbox"/> Shoulders	<input type="checkbox"/> <input type="checkbox"/> Knees
<input type="checkbox"/> <input type="checkbox"/> Elbows	<input type="checkbox"/> <input type="checkbox"/> Ankles
	<input type="checkbox"/> <input type="checkbox"/> Feet

Gastrointestinal [5]

Exam of abdomen

<input type="checkbox"/> <input type="checkbox"/> Mass (cm)	<input type="checkbox"/> <input type="checkbox"/> Abdominal Hernia
<input type="checkbox"/> <input type="checkbox"/> Diminished/Absent Bowel Sounds	
<input type="checkbox"/> <input type="checkbox"/> Abdominal Tenderness	Exam of anus / perineum / and rectum
<input type="checkbox"/> <input type="checkbox"/> Muscle Guarding	<input type="checkbox"/> <input type="checkbox"/> Perineum Exam
<input type="checkbox"/> <input type="checkbox"/> Murphy's Sign	<input type="checkbox"/> <input type="checkbox"/> Rectum

Exam of liver and spleen

<input type="checkbox"/> <input type="checkbox"/> Liver	Obtain stool sample for occult blood test
<input type="checkbox"/> <input type="checkbox"/> Spleen	<input type="checkbox"/> <input type="checkbox"/> Stool Sample Taken for FOB Analysis

A very basic musculoskeletal exam is possible here, but we recommend you use the musculoskeletal specific tabs.

<< >> AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Male Genitourinary [3] ▾ □

Exam of penis

Penis ▾

Exam of scrotal contents

Scrotum ▾

Testes ▾

Digital rectal exam of prostate gland

Prostate ▾

Female Genitourinary [4] ▾ □

Exam of external genitalia

External Genitalia ▾

Vagina ▾

Cervix

Cervix ▾

Uterus

Uterus ▾

Adnexa/parametria

Uterine Adnexae ▾

CMT ▾

Either Gender ▾ □

CVA Tenderness ▾

^^NOTE: (not used for coding credit)

Breasts [2] ▾ □

Inspect breasts

Breast Appearance ▾

Palpation of breasts and axillae

Breast Palpation ▾

Male specific findings will be “grayed out”
 and not selectable for a female patient.

AIM - Usability AIM~44 AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening ROS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman GXT/EKG/PFTs Other Procedures Outline View

Skin (1) Examination of skin and subcutaneous tissue

Erythema Temp Ecchymosis

Lesion Type:

<input checked="" type="checkbox"/> <input type="checkbox"/> Bullae	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> Papule	<input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> <input type="checkbox"/> Cellulitis	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> Patch	<input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> <input type="checkbox"/> Cyst	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> Plaque	<input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> <input type="checkbox"/> Macule	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> Pustules	<input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> <input type="checkbox"/> Macules/Papules (diffuse)	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> Scales	<input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> <input type="checkbox"/> Nodule	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> Vesicle	<input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> <input type="checkbox"/> Other:	<input type="checkbox"/> <input type="checkbox"/>		

Lymph Nodes (4)

Neck nodes enlarged on palpation

Cervical

Submandibular (cm)

Supraclavicular (cm)

Axillary nodes enlarged on palpation

Axillary (cm)

Groin nodes enlarged on palpation

Inguinal (cm)

Palpation of lymph nodes - other

Tender

Neurological (3) Test cranial nerves

CN II-XII

Exam of sensation

Sensation

Monofilament Test

Exam deep tendon reflexes

DTRs

Musculoskeletal (1) Exam of gait

Balance

Gait And Stance

Romberg's Sign

Coordination/Cerebellar

^^NOTE: (not used for coding credit)

Findings that were already selected with the quick entry tab will not be selectable in the complete PE (see lymph nodes above). Also note Cerebellar exam is a non-count.

Neurological [3]

Test cranial nerves
 CN II-XII

Exam of sensation
 Sensation
 Monofilament Test

Exam deep tendon reflexes
 DTRs

Musculoskeletal [1]

Exam of gait
 Balance
 Gait And Stance
 Romberg's Sign
 Coordination/Cerebellar
^^NOTE: (not used for coding credit)


Psychiatric [4]

Describe patient's judgment and insight
 Judgment
 MMS Exam Score : out of 30
^^NOTE: (not used for coding credit)


Oriented to Time, Place, and Person
 Oriented x3

Recent and remote memory
 Recent memory impaired
 Remote memory impaired

Mood and affect
 Mood
 Affect



Don't forget to scroll up once you have completed your physical exam if you want to use other tabs.



The screenshot shows a software interface with a menu bar at the top containing options like '<<', '>>', 'AIM - MOAAF Long~141', 'AutoNeg', 'Undo', 'Details', 'Browse', 'Shift Browse', and 'Note View'. Below the menu bar is a row of tabs: 'HPI / Screening', 'ROS', 'PE', 'Musculoskeletal (upper)', 'Musculoskeletal (lower)', 'Well Woman', 'PFTs/EKG', 'Procedures', and 'Outline View'. The main area displays a list of anatomical regions, each with a double arrow icon to its left:

- >> Head
- >> Neck / Back / Spine / Pelvis
- >> Shoulder
- >> Elbow
- >> Arm / Forearm
- >> Wrist
- >> Hands
- >> Fingers

A red arrow points from the double arrow icon next to 'Neck / Back / Spine / Pelvis' to a red-bordered text box. The text box contains the following text:

If you want to document a back exam, click the double arrow next to Neck/Back/Spine/Pelvis.

The tab will open up into a review of systems and a physical exam.

AIM - Usability AIM

HPI / Screening | ROS | P

<< Neck / Back / Spine / Pelvis

Review of Systems

<input type="checkbox"/> <input type="checkbox"/> Fever	<input type="text"/>	<input type="checkbox"/> <input type="checkbox"/> Recent Weight Loss	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Neck Pain	<input type="text"/>	<input type="checkbox"/> <input type="checkbox"/> Urinary Loss Of Control	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Neck Stiffness	<input type="text"/>	<input type="checkbox"/> <input type="checkbox"/> Unable To Restrain Bowel Movement	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Back Symptoms	<input type="text"/>	<input type="checkbox"/> <input type="checkbox"/> Numbness Of Both Buttocks	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Back Pain	<input type="text"/>	<input type="checkbox"/> <input type="checkbox"/> Numbness Of The Legs	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Back Stiffness	<input type="text"/>	<input type="checkbox"/> <input type="checkbox"/> Abnormality Of Walk	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Lower Back Pain Radiating	<input type="text"/>		
<input type="checkbox"/> <input type="checkbox"/> Pain Worse at night	at night		

Physical Examination

Cervical Spine

<input type="checkbox"/> <input type="checkbox"/> Tenderness On Palpation	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Pain Elicited By Motion	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Motion	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Stability Laxity	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Weakness	<input type="text"/>

Thoracic Spine

<input type="checkbox"/> <input type="checkbox"/> Appearance	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Spasm Of Paraspinal Muscles	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Thoracic Spine	<input type="text"/>

Thoracolumbar Spine

<input type="checkbox"/> <input type="checkbox"/> Pain Elicited By Motion	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Motion	<input type="text"/>

Neck

<input type="checkbox"/> <input type="checkbox"/> Right Ankle Weakness	<input type="text"/>
<input type="checkbox"/> <input type="checkbox"/> Left Knee Weakness	<input type="text"/>

The ROS here helps you document your "Red Flag" items from your low back pain evaluation.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Lower back Pain Radiating Legs
 Pain Worse at night at night Abnormality Of Walk

Physical Examination

Cervical Spine

Tenderness On Palpation
 Pain Elicited By Motion
 Motion
 Stability Laxity
 Weakness

Thoracic Spine

Appearance
 Spasm Of Paraspinal Muscles
 Thoracic Spine

Thoracolumbar Spine

Pain Elicited By Motion
 Motion
 Tenderness On Palpation

Pelvis Tenderness on Palpation

Iliac Crest
 Pubic Symphysis
 Sacroiliac Joint

Neck

Neck Palpation

Back (6)

Normal Back Physical Exam

Full Thoracolumbar ROM
 Straight-leg Raising Test
 Tender On Palpation
 Muscle Spasm
 Lumbosacral Spasm
 Right Knee Weakness
 Right Ankle Weakness
 Left Knee Weakness
 Left Ankle Weakness
 Tactile Decrease Legs
 Knee Jerk Reflex
 Ankle Jerk Reflex

One can document c-spine, t-spine, thoracolumbar spine, pelvis and a full back exam.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Lower back Pain Radiating Legs
 Pain Worse at night at night Abnormality Of Walk

Physical Examination

Cervical Spine

Tenderness On Palpation
 Pain Elicited By Motion

Neck

Neck Palpation

Back (6)

Normal Back Physical Exam

Full Thoracolumbar ROM
 Straight-leg Raising Test
 Tender On Palpation
 Muscle Spasm
 Lumbosacral Spasm

Right Knee Weakness
 Right Ankle Weakness

Left Knee Weakness
 Left Ankle Weakness

Tactile Decrease Legs
 Knee Jerk Reflex
 Ankle Jerk Reflex

Clicking the 'Normal Back Physical Exam' bar will auto neg the back exam findings.

Note, 6 coding bullets possible for back exam.

<< **Shoulder**

Review of Systems

Shoulder Symptoms Joint Stiffness Joint Pain Soft Tissue Pain

Physical Examination

Right (4)	FINDING	Left (4)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Tenderness on Palpation	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Misalignment	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Erythema	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Warmth	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Swelling	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Motion	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Pain Elicited by Motion	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Instability	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Motor Strength Weakness	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

The Shoulder tab also has the auto neg function which will auto neg each side under physical exam.

<< **Shoulder**

Review of Systems

Shoulder Symptoms Joint Stiffness Joint Pain Soft Tissue Pain

Physical Examination

Normal Right Shoulder Exam		Normal Left Shoulder Exam
Right (4)	FINDING	Left (4)
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Tenderness on Palpation	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Misalignment	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Erythema	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Warmth	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Swelling	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Motion	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Pain Elicited by Motion	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Instability	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>
<input type="text"/> <input type="checkbox"/> <input type="checkbox"/>	Motor Strength Weakness	<input type="checkbox"/> <input type="checkbox"/> <input type="text"/>

One can see that they can get a max of 4 bullets for PE coding from the right and left shoulder. One or more findings from each shaded section gives one bullet.

AIM - MOAAF Long~141

AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) **Musculoskeletal (lower)** Well Woman PFTs/EKG Procedures Outline View

- >> Hips
- >> Buttocks / Thigh
- >> **Knee**
- >> Leg
- >> Ankle
- >> Feet
- >> Toes

Musculoskeletal (lower) has these options.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

<< **Knee**

Review of Systems

Knee Symptoms Joint Stiffness

Joint Pain Suddenly Buckled

Joint Swelling Knee LOCKS UP Intermittently

Physical Examination

Normal Right Knee Exam		FINDING	Normal Left Knee Exam	
Right (4)			Left (4)	
<input type="checkbox"/> <input type="checkbox"/>	Tenderness on Palpation	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Effusion	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Erythema	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Misalignment	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Motion Crepitus	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Patella Crepitus	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Pain Elicited by Motion	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Tenderness - Ambulation	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Motion	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Meniscal Integrity McMurray	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Patellofemoral Apprehension	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Anterior Drawer Sign Observed	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Anterior Lachman Test	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/>	Motor Strength Weakness	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	

The knee exam is much like the shoulder with auto neg and 4 PE bullets per side.

AIM - Usability AIM

AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) **Well Woman** Common Procedures GXT/EKG/PFTs/Others Outline View

/ Chaperoned by:

OB/GYN History

Age at Menarche:

Age at Menopause:

Menstrual Bleeding Lasts:

DES Exposure

STD Exposure

Vaginitis

Pelvic Inflammatory Disease

Reported Positive Pap Smear

Pregnancy History

Pregnancy Hx

Type Of Delivery

Planning To Become Pregnant

Medical History

Taking Medication

Cancer

Breast Cancer

Hypertension

Thromboembolic Disease

Heart Disease

Diabetes Mellitus

Headache Syndromes

Additional History

Sexually Active

of Partners in the Last Year

Birth Control IS Practiced

Breast Self-examination Performed

History of Physical Abuse

Family History

Heart Disease

Breast Cancer

Ovarian Cancer

Uterine Cancer

HPI/RDS

Severe Menstrual Pain RDS

Less Menstrual Bleeding RDS

Excessive Menstrual Bleeding RDS

Bleeding Between Periods RDS

Vaginal Discharge RDS

Breast Lump RDS

Blood In Bowel Movement RDS

Stress Urinary Incontinence RDS

Pelvic Pain RDS

Pain During Intercourse RDS

Normal Physical Exam - AutoNeg the Findings Below

Pap Smear Sample was Taken

Vital Signs

Reviewed Current

General

Abdominal Muscle Guarding

Rectal Mass present

Well Woman Tab: History

This AIM form also has a Well Woman tab.

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) **Well Woman** Common Procedures GXT/EKG/PFTs/Others Outline View

Normal Physical Exam - AutoNeg the Findings Below

Vital Signs <input checked="" type="checkbox"/> Reviewed Current Vital Signs	Abdomen <input checked="" type="checkbox"/> Bowel Sounds <input checked="" type="checkbox"/> Abdomen Soft <input checked="" type="checkbox"/> Abdominal Muscle Guarding	<input checked="" type="checkbox"/> Pap Smear Sample was Taken
General <input checked="" type="checkbox"/> Alert <input checked="" type="checkbox"/> Well Developed <input checked="" type="checkbox"/> No Acute Distress	Breast <input checked="" type="checkbox"/> Right Breast <input checked="" type="checkbox"/> Skin Dimpling <input checked="" type="checkbox"/> Abnormal Secretion <input checked="" type="checkbox"/> Breast Mass <input checked="" type="checkbox"/> Lesions present <input checked="" type="checkbox"/> Left Breast <input checked="" type="checkbox"/> Skin Dimpling <input checked="" type="checkbox"/> Abnormal Secretion <input checked="" type="checkbox"/> Breast Mass <input checked="" type="checkbox"/> Lesions present	Rectal Exam <input checked="" type="checkbox"/> Sphincter Tone <input checked="" type="checkbox"/> Hemorrhoids seen <input checked="" type="checkbox"/> Rectal Mass present
Neck <input checked="" type="checkbox"/> Thyroid Enlarged	Pelvic Examination <input checked="" type="checkbox"/> Cervical Discharge seen <input checked="" type="checkbox"/> Cervical Lesion present <input checked="" type="checkbox"/> Cervical Pain Elicited By Motion <input checked="" type="checkbox"/> Uterus Position <input checked="" type="checkbox"/> Uterine Enlargement	Test Results: <input checked="" type="checkbox"/> Fecal Occult Blood test Positive <input checked="" type="checkbox"/> Vaginal Wet Mount Smear Positive <input checked="" type="checkbox"/> Vaginal KOH Prep Positive
Lungs <input checked="" type="checkbox"/> Respiratory Rhythm and Depth <input checked="" type="checkbox"/> Breath Sounds / Voice Sounds		<input checked="" type="checkbox"/> Additional Physical Findings
Cardiovascular <input checked="" type="checkbox"/> Heart Sounds <input checked="" type="checkbox"/> Heart Rhythm Irregular <input checked="" type="checkbox"/> Murmurs		
Genitalia <input checked="" type="checkbox"/> External Genitalia <input checked="" type="checkbox"/> Vaginal Mucosa <input checked="" type="checkbox"/> Vaginal Discharge <input checked="" type="checkbox"/> Vaginal Lesion		

Well Woman Tab: Physical exam

AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

Normal Physical Exam - AutoNeg the Findings Below

Vital Signs

Reviewed Current Vital Signs

General

Alert

Well Developed

No Acute Distress

Neck

Thyroid Enlarged

Lungs

Respiratory Rhythm and Depth

Breath Sounds / Voice Sounds

Cardiovascular

Heart Sounds

Heart Rhythm Irregular

Murmurs

Genitalia

External Genitalia

Vaginal Mucosa

Vaginal Discharge observed

Vaginal Vesicle(s) observed

Abdomen

Bowel Sounds

Abdomen Soft

Abdominal Muscle Guarding

Breast

Right Breast

Skin Dimpling

Abnormal Secretion

Breast Mass

Lesions present

Left Breast

Skin Dimpling

Abnormal Secretion

Breast Mass

Lesions present

Pelvic Examination

Cervical Discharge seen

Cervical Lesion present

Cervical Pain Elicited By Motion

Uterus Position

Uterine Enlargement

Uterus Absent

Uterus Tender

Rectal Exam

Sphincter Tone

Hemorrhoids seen

Rectal Mass present


Test Results:

Fecal Occult Blood test Positive

Vaginal Wet Mount Smear Positive

Pap Smear Sample was Taken

AutoNeg button
for most
common
physical exam
findings on PAP.



Clicking this button is required for coding purposes whenever a PAP is done.

Counseling and Education

Limitations And Risks

<input checked="" type="checkbox"/> Infection	<input type="checkbox"/> Bleeding	<input type="checkbox"/> Recurrence	<input type="checkbox"/>
<input checked="" type="checkbox"/> Pain	<input type="checkbox"/> Scarring	<input type="checkbox"/> Repeat Procedure	<input type="checkbox"/>
<input checked="" type="checkbox"/> Complications from Anesthesia	<input type="checkbox"/> Complications from Steroids	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Risks, benefits discussed and understood - Patient Wishes To Proceed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Parent / Patients Proxy Holder Authorized Proceeding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<input checked="" type="checkbox"/> Consent Form Signed	<input type="checkbox"/>
<input checked="" type="checkbox"/> Confirmation of patient; procedure; and laterality	<input type="checkbox"/>
-- Patient ID, planned procedure verbally confirmed by nurse, patient, and physician/provider performing procedure.	<input type="checkbox"/>
<input checked="" type="checkbox"/> Verified Signed Consent Form In Chart	<input type="checkbox"/>

- >> CYST REMOVAL
- >> PUNCH BIOPSY
- >> SHAVE BIOPSY
- >> EXCISIONAL BIOPSY
- >> VASECTOMY
- >> IUD INSERTION
- >> IUD REMOVAL
- >> FIRST TRIMESTER ULTRASOUND
- >> FLEXIBLE SIGMOIDOSCOPY
- >> ENDOMETRIAL BIOPSY
- >> COLPOSCOPY
- >> SYNVISIC INJECTION
- >> STEROID INJECTION
- >> LACERATION REPAIR
- >> INCISION AND DRAINAGE OF ABSCESS
- >> TOENAIL REMOVAL

The 'Common procedures' tab allows one to document many procedures.

Counseling and Education

Limitations And Risks

<input checked="" type="checkbox"/> Infection	<input type="checkbox"/> Bleeding	<input type="checkbox"/> Recurrence	<input type="checkbox"/>
<input checked="" type="checkbox"/> Pain	<input type="checkbox"/> Scarring	<input type="checkbox"/> Repeat Procedure	<input type="checkbox"/>
<input checked="" type="checkbox"/> Complications from Anesthesia	<input type="checkbox"/> Complications from Steroids	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Risks, benefits discussed and understood - Patient Wishes To Proceed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Parent / Patients Proxy Holder Authorized Proceeding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<input checked="" type="checkbox"/> Consent Form Signed	<input type="checkbox"/>
<input checked="" type="checkbox"/> Confirmation of patient; procedure; and laterality	<input type="checkbox"/>
-- Patient ID, planned procedure verbally confirmed by nurse, patient, and physician/provider performing procedure.	<input type="checkbox"/>
<input checked="" type="checkbox"/> Verified Signed Consent Form In Chart	<input type="checkbox"/>

- >> CYST REMOVAL
- >> PUNCH BIOPSY
- >> SHAVE BIOPSY
- >> EXCISIONAL BIOPSY
- >> VASECTOMY
- >> IUD INSERTION
- >> IUD REMOVAL
- >> FIRST TRIMESTER ULTRASOUND
- >> FLEXIBLE SIGMOIDOSCOPY
- >> ENDOMETRIAL BIOPSY
- >> COLPOSCOPY
- >> SYNVISIC INJECTION
- >> STEROID INJECTION
- >> LACERATION REPAIR
- >> INCISION AND DRAINAGE OF ABSCESS
- >> TOENAIL REMOVAL



This section is used to discuss counseling of the patient and to document that "time out" was done.



SHAVE BIOPSY



SHAVE BIOPSY

The procedure was explained in detail and informed consent was obtained from the patient. The area was prepped and draped in a sterile fashion, and infiltrated with 1% lidocaine with epinephrine for local anesthesia. Forceps were used to elevate the lesion and a shave biopsy was performed. The specimen was placed in a specimen jar and sent for analysis. Drysol solution was used for hemostasis. Antibiotic ointment and a bandage were applied. EBL was less than 1cc. Good hemostasis. There were no complications. Wound care and post-procedure warning signs were discussed. Pt voiced understanding. I instructed the patient to follow up for fever, erythema, swelling, pain, or purulent discharge from the wound. The patient voiced understanding.



COLPOSCOPY



COLPOSCOPY

The speculum was inserted and the cervix was identified. The entire transformation zone and squamocolumnar junction were visualized.

FINDINGS:

Observation of cervix without staining:

Observation of cervix with acetic acid solution:

Observation of cervix with Lugol's iodine solution:

Entire lesion seen?

Reid's Index Score:

- Margin-
- Color-
- Vessels-
- Iodine staining-

Pap smear repeated?

ECC done?

Biopsy specimens and sites:

Endometrial biopsy performed?


Vagina: normal vaginal mucosa without lesions or evidence of genital warts.

External genitalia: normal


Perirectal exam: normal

COMPLICATIONS: There were no complications associated with this procedure

Some example procedures.



A tab to document GXTs, EKGs, & PFTs and a blank procedure box to document any procedure not covered.



Click the box with arrows next to the procedure you are interested in documenting.

<< >> AIM - Usability AIM AutoNeg Undo Details Browse Shift Browse Note View

HPI / Screening RDS PE Musculoskeletal (upper) Musculoskeletal (lower) Well Woman Common Procedures GXT/EKG/PFTs/Others Outline View

<< GXT

Cardiovascular Stress Test

Reason for test:

Informed consent was obtained.

The pt exercised according to the Bruce protocol for _____ minutes. His resting heart rate of _____ bpm rose to a maximal heart rate of _____ bpm. This value represents _____% of his maximal age predicted HR. The blood pressure at rest was _____mmHg and rose to a maximum blood pressure of _____mmHg. The exercise test was stopped due to _____.

Summary:

Resting EKG:

Functional capacity:

HR response to exercise:

BP response to exercise:

Symptoms/Chest pain:

Arrhythmias:

ST changes:

Mets achieved:

Overall impression:

Negative or Positive Stress test.

Max (=85% Max HR) or submax (<85% Max HR) stress test.


Conclusion: Unremarkable GXT, low risk for CAD, no further cardiac testing necessary.

Procedure codes: use both 93016 and 93018
(unless your department owns the equipment, then use procedure code 93015)

>> AD

Just fill in the blank lines and other needed information for an excellent GXT procedure note.

Reminder about disposition Screen



Disposition: Released w/o Limitations

Encounter Context:
 Related to Injury/Accident?
 Patient Pregnant

Billing and Admin
Billing Chief Complaint: 462 - PHARYNGITIS ACUTE
Appt Class: Outpatient
Meets Outpt Visit Criteria (Workload)? Yes

Follow Up:
 PRN
 With PCM

Discussion:
 All

Time Fa:
 >

Calculated		Selection		Additional E&M Coding	
HPI	RDS	PFSH	Overall History	Exam	Dx/Mgt Options
1 2	1 2 3	1 2	1 2 3 4	1 2 3 4	1 2 3 4

Default Calculation: 99213 - Estab Outpatient Expanded H&P - Low Complexity Decisions

With User overrides:

Using free text on the HPI of this AIM form may result in only getting credit for 1 HPI element in the disposition screen.

Disposition
Released w/o Limitations

Encounter Context
 Related to Injury/Accident?
 Patient Pregnant

Billing and Admin
Billing Chief Complaint:
462 - PHARYNGITIS ACUTE
Appt Class: Outpatient
Meets Outpt Visit Criteria (Workload)? Yes

Follow Up
 PRN
 With PCM
When: For Tx:
In Clinic:
Comments:


Calculated Selection Additional E&M Coding

Patient Status: Established Patient Exam Type: Gen
Setting: Outpatient
Service Type: Outpatient Visit

HPI	ROS	PFSH	Overall History	Exam	Dx/M Option
1 2	1 2 3	1 2	1 2 3 4	1 2 3 4	1 2 3

Default Calculation: 99213 - Estab Outpatient Expanded H&P - Low Complexity Decisions
With User overrides:

If you covered at least 4 of the 8 listed elements under HPI, then you should click the '2' button under HPI in this screen.



If selecting the '2' under HPI is enough to give you a 99214, you will see the 99214 listed under 'With User overrides'.

The screenshot shows a medical software interface with several sections:

- Encounter Context:** Includes checkboxes for 'Related to Injury/Accident?' (unchecked) and 'Patient Pregnant' (checked).
- Billing and Admin:** Includes a dropdown for 'Billing Chief Complaint' (462 - PHARYNGITIS ACUTE), 'Appt Class' (Outpatient), and 'Meets Outpt Visit Criteria (Workload)?' (Yes).
- Calculated | Selection | Additional E&M Coding:** Includes dropdowns for 'Patient Status' (Established Patient), 'Setting' (Outpatient), and 'Service Type' (Outpatient Visit).
- Table:** A table with columns for HPI, RDS, PFSH, Overall History, Exam, and Dx. The 'With User overrides' row is selected.
- Default Calculation:** 99213 - Estab Outpatient Expanded H&P - Low
- With User overrides:** 99214 - Estab Outpatient Detailed H&P - Moder

A red arrow points from the 'With User overrides' radio button to a red-bordered callout box containing the following text:

Just click the button next to 'With User overrides' to capture a 99214 for your code. This is done because the HPI calculator in AHLTA cannot read free text very well.

Example patient visit

CC: 38 y/o WF with sore throat and right knee pain

HPI: Pain in the back of the throat for 3 days. Pain is 5/10 in severity and is burning. Anterior right knee pain for 2 weeks. Worse walking up and down stairs.

ROS: No fever, cough, rhinorrhea. Knees: no swelling or stiffness; no buckling or locking.

Past History: Meds- None, reconciled. PMH- Eczema SH- No Tob, No ETOH

PE: VS- T- 99.1° F, BP- 130/84, P- 78, RR- 12

Gen- WDWN, in NAD; A&O x 3,

Eyes- PERRL, nl sclera, nl conjunctiva

ENT- TM clear bl, erythematous posterior pharyngeal wall, tonsils enlarged w/o exudate

Neck- Non-tender, nl thyroid, no LAD of cervical, submandibular, or supraclavicular nodes

Lungs: CTA bl, no w/r/r

CV- RRR, nl s1, s2, no s3 or s4, no m/r/g

Knee exam- Right knee w/ + patellar grind causing crepitus and pain, otherwise non-tender, no effusion, no erythema or misalignment, no crepitus on motion, no pain elicited by motion, no pain on ambulation, FROM, nl McMurray's, neg patellofemoral apprehension test, neg anterior drawer, neg Lachman, no weakness.

Left knee with all above tests normal.

Live demonstration

Encounter Context

Related to Injury/Accident?

Patient Pregnant

With PCM In Clinic:

Comments:

Discussed

All Items Discussed

Billing and Admin

Billing Chief Complaint: 719.46 - PATELLOFEMORAL SYNDROME

Appt Class: Outpatient

Meets Outpt Visit Criteria (Workload): Yes

Calculated | Selection | Additional E&M Coding

Patient Status: Established Patient Exam Type:

Setting: Outpatient

Service Type: Outpatient Visit

HPI	ROS	PFSH	Overall History	Exam
1 2	1 2 3	1 2	1 2 3 4	1 2 3 4

Default Calculation: 99213 - Estab Outpatient Expanded H&P

With User overrides: 99214 - Estab Outpatient Detailed H&P

Since I know I covered 4 or more elements under HPI

location- throat, right knee;
duration- throat 3 days, knee 2 weeks;
severity- 5/10; **character-** burning;
modifying factors- walking up stairs

I will select the level 2 HPI and choose to override the calculated code and instead get a 99214.

Summary

- Import the Usability AIM form
- Demonstrate the S/O portion

Recommendations

- Make a Usability AIM form for every specialty
- Teach our AHLTA trainers how to use it and how it works with coding
- Have our AHLTA trainers teach it to every specialty in the Air Force, Army, Navy, and Coast Guard

Acknowledgements

- I would like to thank Tony Inae, MD and Randy Eccles, MD for spending the last 3 months helping me make, modify, and update this AIM form!

Questions?



Additional techniques

- Import the usability encounter template with usability AIM as part of the template.
- Modify the template
- Create an order set and add it to the master coder template

Add the usability encounter
template to your favorites



File Edit View Go Tools Actions Help

Refresh Open Appt New Appt Print Appts View Comments Cancel Transfer Providers Check-In Check-Out Ins. Form Undo Cancel Close

QQQAATEST, SPOUSEMAMC F 30/800-06-7401 37yo F FM: DOB:24 Feb 1969

Folder List

- Desktop
 - Alert Review
 - Appointments
 - Telephone Consults
 - Search
 - Patient List
 - Consult Log
 - Co-signs
 - Sign Orders
 - New Results
 - Reports
 - Tools
 - Web Browser
 - CHCS-I
 - Immunizations Admin

Change Selections ... My Appointments in All My Clinics for Today only Any Status.

Appt. Date/Time	Patient	Status	Reason for Visit
12 Feb 2007 0800		Complete	NECK CONCERN LABS POS X M
12 Feb 2007 0800		PATIENT CANCELLED	Finger injured and still hurts
12 Feb 2007 0830		Complete	PAIN W/URIN X3 DAYS
12 Feb 2007 0900		PATIENT CANCELLED	allergy con x2mo
12 Feb 2007 0900		Complete	R knee pain x 2 wk/botd
12 Feb 2007 0930		Complete	54y/cncrnd abt thyroid x1d
12 Feb 2007 1000		Complete	BAD COUGH X3DAYS
12 Feb 2007 1015		Complete	fatigue
12 Feb 2007 1030		Complete	3yo cold sx xsev days
12 Feb 2007 1045		Complete	cold and flu symp congestion pain
12 Feb 2007 1100		NO-SHOW	25YO/PE PAP
12 Feb 2007 1700	QQQAATEST, SPOUSEMAMC F	CheckedIn	Test

Double click on your patient to open the encounter.



File Edit View Go Tools Actions Help

Refresh Add Note Providers **Templates** Sign Save As Template Close

QQQAATEST, ACTIVEMAMC A 20/800-06-7401 38yo M SGT DOB:24 D

Folder List

- Desktop
 - Alert Review
 - Appointments
 - Telephone Consults
 - Search
 - Patient List
 - Consult Log
 - Co-signs
 - Sign Orders
 - New Results
 - Reports
 - Tools
 - Web Browser
 - CHCS-I
 - Immunizations Admin
- QQQAATEST, ACTIVEM
 - Demographics

Date: 29 Jan 2007 1357 PST

Status: **Checked-In**

Primary Provider: **JOHNSON, JEREMY D**

Type: **ACUT**

Patient Status: **Outpatient**

Reason

AutoCite...

AutoC

Probl

head

ESS

MAR

ACU

DIAE

OTIT

LATE

HYP

WC

ASTH

Inqui

Co

PAR

POR

WAR

Visit

Visit

Visit

Visit

Visit

Click the Templates Button at the top of the opening screen.



Templates

File Edit View Go Tools Actions Help

Refresh Search View/Edit New Save As Add Favorite Remove Favorite Import Export Move To Folder S/O A/P Close

Folder List

- Desktop
 - Alert Review
 - Appointments
 - Telephone Consults
 - Search
 - Patient List
 - Consult Log
 - Co-signs
 - Sign Orders
 - New Results
 - Reports
 - Tools
 - Template Manag
 - List Management
 - Reminder Mappir
 - Questionnaire Se
 - Web Browser
 - CHCS-I
 - Immunizations Admin
- QQQAATEST, ACTIVEM
 - Demographics
 - Health History
 - Problems
 - Meds
 - Allergy

Template Selections

Search/Browse

Search Parameters

Appointment Type

Reason(s) for Visit

Folders

You will now come to this screen.

Templates

- Autosearch Results (0)
- My Favorites
- FPC MADIGAN
- M FAM PRACTICE OBS CLINIC
- M FP ACUTE CARE TEAM CLINIC
- M FP BLUE TEAM CLINIC
- M FP CLINICAL PHARM
- M FP GOLD TEAM CLINIC
- M FP RED TEAM CLINIC
- M OIF CONTINUITY CLINIC
- MFP WHITE TEAM CLINIC
- FT. LEWIS (Madigan AMC-Fort Lewis)
- Enterprise Folders

Folder List

- Tools
 - Template Ma
 - List Manager
 - Reminder Ma
 - Questionnaire
 - Screening N
 - Immunization
- Web Browser
- QQQAATEST, SPOL
- Demographics
- Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunization
 - Vital Signs R
 - PKC Coupler
 - Readiness
 - Patient Ques
 - BHIE Data V
- Army Readin
- Lab
- Radiology
- Clinical Notes
- Previous Encoun
- Flowsheets
- Current Encounte
- Screening

Template Selections Search/Browse Template Details

Search Parameters

Appointment Type

Reason(s) for Visit

Folders

FindNow

Templates


- Autosearch Results (0)
- My Favorites
- FPC MADIGAN
- M FAM PRACTICE OBS CLINIC
- M FP ACUTE CARE TEAM CLINIC
- M FP BLUE TEAM CLINIC
- M FP CLINICAL PHARM
- M FP GOLD TEAM CLINIC
- M FP RED TEAM CLINIC
- M FP WHITE TEAM CLINIC
- M WARRIOR TRANSITION CLINIC
- MLD CLINIC
- MLD OBSERVATION

Add Remove

Selected Templates

Template Name	Scope	Owner

OK Cancel



Encounter Template Search

Template Name

Begins With Contains Case Insensitive

Select from my favorites only

Owner Type

Owners

Add

Remove

Specialty

Add

Type in
“A usability encounter template--usafp”
in the Template name box, then click
‘Search.’

Replace Search Results Add to Search Results

Clear

Search

Cancel

The screenshot shows a software application window titled "JOHNSON, JEREMY D: Military Clinical Desktop - Template Management (Privacy Act of 1974/FOUO)". The menu bar includes File, Edit, View, Go, Tools, Actions, and Help. The Actions menu is highlighted with a red box, and the "Save As" option is also highlighted. Below the menu bar is a toolbar with various icons. On the left, there is a "Folder List" pane showing a tree view of folders: Template Ma, List Manager, Reminder Ma, Questionnaire, Screening Nc, Immunization, and Web Browser. The main area is divided into three tabs: Template Selections, Search/Browse, and Template Details. The Search/Browse tab is active, displaying a table of templates.

Template Name	ID	Scope	Owner
A usability encounter template--usa/p	1345256	User	JOHNSON, JEREMY D

You will see this template from a list. Select the one with Johnson, Jeremy as the owner and click 'Save As.'

Save Encounter Template

Save in: **Personal**

Folder: Personal List

Template Name

- A enc--PC-Generic
- A enc--master coder full-
- A usability encounter tem
- AA ENC - CVS - AKL
- AAA long
- ENC--Well Woman Exar
- Order set pain
- a enc--mc--testa4
- dx--chest pain--jdi
- enc--838--jdi
- ... 00014 ...

Make sure 'Personal' is selected. Give it any name you want. I recommend you get rid of the "Copy of" portion and leave the "A" at the front of the name so it will be at the top of your encounter template list once you have saved it.

Template Name: Copy of A usability encounter template--usafp

Specialty:

Add to Favorites

Shared

Save

Cancel

Save Encounter Template

Save in: Personal

Folder: Personal List

- Template Name
- A enc--PC-Generic
 - A enc--master coder full-usafp
 - A usability encounter template
 - AA ENC - CVS - AKL
 - AAA long
 - ENC--Well Woman Exam--jdj
 - Order set pain
 - a enc--mc--testa
 - dx--chest pain--jdj
 - enc--838--jdj
 - ...

Here I named it "A usability encounter template--jdj." Ensure 'Add to Favorites' is checked but don't click 'Shared.' Now click Save.

Template Name: A usability encounter template--jdj


Specialty:

Add to Favorites


Shared

Save

Cancel



Now click Close



and you will return
to your patient
encounter.

File Edit View Go Tools Actions Help

Refresh Add Note Providers Templates Sign Save As Template Close

QQQAATEST, SPOUSEMAMC F 30/800-06-7401 37yo F FM: DOB:24 Feb 1969

Folder List

- Reminder Ma
- Questionnaire
- Web Browser
- CHCS-I
- Immunizations Ad
- QQQAATEST, SPOU
- Demographics
- Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunizations
 - Vital Signs Re
 - PKC Couplers
 - Readiness
 - Patient Quest
 - Army Readine
- Lab
- Radiology
- Clinical Notes
- Previous Encount
- Flowsheets
- Current Encounte
 - Screening
 - Vital Signs Er
 - S/O

Date: 13 Feb 2007 1635 PST

Status: In Progress

Treatment Facility: Madigan AMC-Fort Lewis

Primary Provider: JOHNSON, JEREMY D

Type: ACUT

Clinic: M FP GOLD TEAM CLINIC

Patient Status: Outpatient

Reason for Appointment: test

AutoCite...

AutoCites Refreshed by JOHNSON

Active Medications

Active Medications
DIPHENHYDRAMINE HCL, 25MG,
ORAL
MULTIVITS W-CA,FE,OTHER MIN
TABLET, ORAL

Screening

G2 P2. Post-menopause.

Vitals

S/O

A/P

A/P Written by JOHNSON, JEREM

You have returned to your patient encounter, click 'Refresh' to ensure your form will be on your favorites.



Refresh

Navigation: << >> encounter template--usafp AutoNeg Undo Details Browse Shift Browse Note View

HPI / Sc A enc--master coder full-us

Usability AIM - AMEDD - 080307

dx--chest pain--[d]

dx--dermatology--pppno

dx--endocrine--pppno

dx--endocrine--pppno

dx--general--pppno

dx--genital urinary rectal--bf

Reviewed Allergies in Autocite

of 8 elements from: location, quality, severity, duration, timing, context, modifying factors, and associated signs and symptoms.
f at least 4 of 8 elements from the above. An extended HPI can also entail discussing the status of 3 chronic conditions.

This AIM form requires an additional step to be taken in the Disposition Module. Click this button for the step required.

Visit For: (limit 2000 characters) -- Type <CTRL>+<ENTER> for new line --

Note: Boxes below are for additional free text entry only, and will not auto...
Use Medication module, Problems module, Historical Procedures mo

Past Medical History (1)

Current Medications

: Current medications reviewed

Medical History

: reviewed

Family History (1)

The usability encounter template is now on your pick list.

Review A/P portion of the
usability AIM form

Date: 12 Feb 2007 1700 PST
Primary Provider: JOHNSON, JEREMY D
Patient Status: Outpatient

Status: In Progress
Type: ACUT

Treatment Facility: Madigan AMC-Fort Lewis
Clinic: M FP GOLD TEAM CLINIC

° Normal. ° No abnormal secretion. ° No dimpling was seen. ° No mass was found.

Left breast:

° Normal. ° No abnormal secretion. ° No dimpling was seen. ° No mass was found.

Lungs:

° Exaggerated use of accessory muscles for inspiration was not observed. ° Clear to auscultation. ° Normal breath sounds/voice sounds. : ° No wheezing was heard. ° No rales/crackles were heard.

Cardiovascular system

Heart Rate And Rhythm: ° Normal.

Heart Sounds: ° Normal.

Murmurs: ° No murmurs were heard.

Abdomen:

Auscultation: ° Bowel sounds were normal. ° A bruit was not heard in the abdomen.

Palpation: ° Abdomen was soft. ° No abdominal tenderness. ° No mass was palpated in the abdomen.

Hepatic Findings: ° Liver was not enlarged.

Splenic Findings: ° Spleen was not enlarged.

Hernia: ° No hernia was discovered.

Genitalia:

External: ° Genitalia showed no abnormalities.

Vagina: ° Mucosa was normal. ° No vaginal discharge was observed. ° No vaginal vesicle was observed. ° Not tender. ° No cystocele was observed. ° No rectocele was observed.

Pelvic exam:

Cervix: ° A sample was taken for a Pap smear. ° No cervical discharge was seen. ° Showed no lesion. ° Did not demonstrate pain elicited by motion.

Uterus: ° Position was normal. ° Not enlarged.

Uterine Adnexae: ° Uterine adnexa was not

was noted.

Rectum:

Anus: ° Anal sphincter tone was normal. °

Rectum: ° Had no mass.

Skin:

° No lesions on the right breast. ° No lesion

Go to the A/P
section of
your note.

A/P

A/P Written by JOHNSON, JEREMY D @ 12 Feb

Disposition

AddNote

Folder List

- Questionnaire
- Web Browser
- CHCS-I
- Immunizations Ad
- QQQAATEST, SPOU
- Demographics
- Health History
- Problems
- Meds
- Allergy
- Wellness
- Immunizations
- Vital Signs Re
- PKC Couplers
- Readiness
- Patient Quest
- Army Readine
- Lab
- Radiology
- Clinical Notes
- Previous Encount
- Flowsheets
- Current Encounte
- Screening
- Vital Signs Er
- S/O
- A/P
- Disposition

Priority	ICD	Diagnosis	Chronic/A

Diagnosis | Order Sets | Procedure | Reminders | Order Consults | Order

<< >> enc--master coder--usafp ▼ Problem List Favorite Lists

ICD	Diagnosis
V70.0	NORMAL ROUTINE HISTORY AND PHYSICAL
V72.31	NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR
V76.2	visit for: screening exam malignant neoplasm cervix
V76.47	visit for: screening exam malignant neoplasm vagina
V70.5	visit for: military services physical
V20.2	visit for: well baby exam
V20.2	visit for: well child visit
724.2	LUMBAGO
719.46	joint pain, localized in the knee
719.46	PATELLOFEMORAL SYNDROME
845.00	ANKLE SPRAIN
729.5	limb pain

Under the diagnosis tab you will see several common diagnoses listed.

Priority ICD Diagnosis Chronic/Acute Type Priority Orders & Procedures

Diagnosis Order Sets Procedure Reminders Order Consults Order Lab Order Rad Order Med Other Therapies

<< >> enc--master coder--usafp Problem List Favorite Lists Search Find Now

ICD	Diagnosis
729.5	limb pain
V25.01	Oral Contraceptives
V25.41	visit for: contraceptive surveillance pill
V25.02	Gynecologic Services Prescription Of Contraceptive Agents
112.1	VULVOVAGINITIS CANDIDA ALBICANS
616.10	VAGINITIS BACTERIAL
V25.1	Gynecologic Services Intrauterine Device (IUD) Insertion
V22.0	Supervision Of Normal First Pregnancy
V22.1	Supervision Of Normal Pregnancy
V24.2	NORMAL ROUTINE HISTORY AND PHYSICAL - POSTPARTUM
372.30	CONJUNCTIVITIS
382.9	OTITIS MEDIA ACUTE

Add to Encounter Add to Favorite List



You can scroll down for more diagnoses.

Priority | ICD | Diagnosis | Chronic/Acute | Type

Priority

Orders & Procedures

Diagnosis | **Order Sets** | Procedure | Reminders | Order Consults

<< >> enc-master coder--usafp1 Ordering Provider: JO

Select	Modify	Name
--------	--------	------

UnSelect All | Select All | Refresh Data | Submit | Save as Order Set

There are no orders under the Order Sets tab because orders are MTF specific.

Priority	ICD	Diagnosis	Chronic/Acute	Type	Priority	Orders & Procedures
					▲	
					▼	
					<>	

Diagnosis | Order Sets | **Procedure** | Reminders | Order Consults | Order Lab

<< >> enc--master coder--usafp1 Favorite Lists

Standard Procedures
 HCPCS & Durable Medical Equipment (DME)

Description of Procedures

- SCREENING PAP OBTAIN, PREP, CONVEY CERV/VAG SMEAR TO LAB Q0091
- WET MOUNTS,INCL PREP OF VAGINAL, CERV, OR SKIN SPECIMENS Q0111
- ECG 12-Lead 93000
- Pulse Oximetry 94760
- Incision And Drainage Of Skin Abscess 10060
- Colposcopy Vagina 57420
- Colposcopy Vagina With Biopsy(s) 57421
- Endometrial Biopsy By Suction 58100
- Gynecologic Services Intrauterine Device (IUD) Insertion 58300
- Gynecologic Services Intrauterine Device (IUD) Removal 58301
- Sigmoidoscopy (Fiberoptic) 45330
- Sigmoidoscopy For Cytology 45331

Add to Encounter Add to Favorite List

The most commonly used Procedures are listed under the Procedures tab.

Priority	ICD	Diagnosis	Chronic/Acute	Type	Priority	Orders & Procedures
					▲	
					▼	
					<>	

Diagnosis | Order Sets | Procedure | Reminders | Order Consults | Order Lab | Order Rad | Order Med | **Other Therapies**

<< >> enc-master coder-usafp1 Search Find Now

Description

- Anticipatory Guidance: Nutrition
- Anticipatory Guidance: Seat Belts
- Anticipatory Guidance: Sexual Activity
- Anticipatory Guidance: Tobacco Use
- Anticipatory Guidance: Unsafe Sexual Practices
- Anticipatory Guidance: Vitamins
- Dietary Counseling Pertaining To Osteoporosis
- Gynecologic Services Contraceptive General Counseling
- High Fiber Diet
- Instructions: Use A Condom During Sexual Intercourse
- Lose Weight
- Patient Education - Medication
- Patient Education - Self-Examination Of Breasts

Add

The Other Therapies tab lists counseling and anticipatory guidance.

Modify Diagnoses, Procedures, and Other Therapies

This uses a template called:
“master coder template”, but you
can do the same for any template
you have, for example:
A Usability encounter template

- Folder List
- CHCS-I
 - Immunizations Ad
 - QQQAATEST, SPOU
 - Demographics
 - Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunizations
 - Vital Signs Re
 - PKC Couplers
 - Readiness
 - Patient Quest
 - Army Readine
 - Lab
 - Radiology
 - Clinical Notes
 - Previous Encount
 - Flowsheets
 - Current Encounte
 - Screening
 - Vital Signs Er
 - S/D
 - A/P
 - Disposition

Date: 12 Feb 2007 1700 PS
Primary Provider: JOHNSON, JEREMY
Patient Status: **Outpatient**
Reason for Appointment:

AutoCite... AutoCites Refreshed by JO

- Problems
- CHEST PAIN
 - CELLULITIS
 - ACHILLES TENDON ADH
 - RIGHT LEG
 - NONTRAUMATIC ACHILL
 - RUPTURE RIGHT LEG
 - headache
 - INFLUENZA
 - ANXIETY DISORDER NOS
 - HEPATITIS, C VIRUS - CH
 - INFLUENZA A
 - HYPERTENSION (SYSTE
 - ASPIRATION PNEUMONIA
 - CHRONIC FATIGUE SYND
 - EARACHE OTOGENIC
 - Vaccines Prophylactic Need
 - Influenza
 - ESSENTIAL HYPERTENS
 - UNSPECIFIED
 - COMMUNITY-ACQUIRED
 - Patient Education - Diabete
 - ALLERGIC RHINITIS - PO
 - UNERUPTED 3rd MOLAR
 - Pregnancy Test Negative
 - Prenatal Ed Initial Visit Description Of
 - Prenatal Care Plan
 - Prenatal Ed Initial Visit Risk Avoidance
 - Pregnancy Test Positive
 - ABORTION
 - DIABETES MELLITUS
 - ASTHMA
 - BURNS OF THE EYELIDS
 - CALLUS
 - CHRONIC PAIN SYNDROME
 - DEPRESSION
 - LUMBAGO
 - Cervical Pap Smear Abnormal

Get back to the opening screen for your patient and click Templates.



Reminders

- Chlamydia Screen
- HIV Screen

Folder List

- Template Manager
- List Manager
- Reminder Manager
- Questionnaire
- Web Browser
- CHCS-I
- Immunizations Ad
- QQQAATEST, SPOU
- Demographics
- Health History
- Problems
- Meds
- Allergy
- Wellness
- Immunizations
- Vital Signs Re
- PKC Couplers
- Readiness
- Patient Quest
- Army Readine
- Lab
- Radiology
- Clinical Notes
- Previous Encount
- Flowsheets
- Current Encounte
- Screeninn

Template Selections

Search/Browse

Template Details

Search Parameters

Appointment Type

Reason(s) for Visit

Folders

Templates

- Autosearch Results (0)
- + My Favorites
- + FPC MADIGAN
- + M FAM PRACTICE OBS CLINIC
- + M FP ACUTE CARE TEAM CLINIC
- + M FP BLUE TEAM CLINIC
- + M FP CLINICAL PHARM
- + M FP GOLD TEAM CLINIC
- + M FP RED TEAM CLINIC
- + M OIF CONTINUITY CLINIC
- + MFP WHITE TEAM CLINIC
- + FT. LEWIS (Madigan AMC-Fort Lewis)
- + Enterprise Folders

Here click on the + sign next to My Favorites.

Add

Remove

Selected Templates

Template Name	Scope	Owner

OK

Cancel

File Edit View Go Tools Actions Help

Refresh Search **View/Edit** New Save As Add Favorite Remove Favorite Import Export Move To Folder S/O A/P Close

- Folder List
- Template Ma
 - List Manager
 - Reminder Ma
 - Questionnaire
 - Web Browser
 - CHCS-I
 - Immunizations Ad
 - QQQAATEST, SPOU
 - Demographics
 - Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunizations
 - Vital Signs Re
 - PKC Couplers
 - Readiness
 - Patient Quest
 - Army Readine
 - Lab

Template Selections

Search Parameters

Appointment Type

Reason(s) for Visit

Folders

Templates

	enc-Flex Sig Proced
	enc-gen aim peds te
	enc-gen aim templ
	enc-gerd--pppno
	enc-gi--pppno (M
	enc-gyn well womar
	enc-headache--ppp
	enc-hip pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc-htr--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc-knee pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc-low back pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc-master coder-usalp

Scroll down under your favorites and select your enc--master coder--usafp template and then click View/Edit.

Template Selections Search/Browse Template De

Template Name: enc-master coder-usafp1

Owner Type: Personal

User: JOHNSON, JEREMY D

Specialty:

EM Code Category:

Associated Reasons for Visit

- visit for: screening exam malignant neoplasm cervix V76.2
- NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31
- NORMAL ROUTINE HISTORY AND PHYSICAL V70.0

Associated Problems

Diagnoses

- NORMAL ROUTINE HISTORY AND PHYSICAL V70.0
- NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31
- visit for: screening exam malignant neoplasm cervix V76.2
- visit for: screening exam malignant neoplasm vagina V76.47
- visit for: military services physical V70.5


Notes Templates

- [List] vst--Complete Exam--jdj

Other Therapies

- Anticipatory Guidance: Sexual Activity
- Anticipatory Guidance: Unsafe Sexual Practices
- Gynecologic Services: Contraceptive General Counseling
- Patient Education - Medication
- Respiratory Exercise


Buttons: Add..., Remove, Add..., Remove, Add..., Remove, Add..., Remove, Add..., Remove



These are the buttons you have to work with within your encounter template. Add will add a diagnosis, Remove will remove the selected diagnosis, the arrows will move your diagnosis up or down on the priority list.

Template Selections	Search/Browse
Template Name	enc-master coder-usafp1
Owner Type	Personal
User	JOHNSON, JEREMY D
Specialty	
EM Code Category	
Associated Reasons for Visit	
visit for: screening exam malignant neoplasm cervix V76.2 NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V77.0 NORMAL ROUTINE HISTORY AND PHYSICAL V70.0	
Associated Problems	
Diagnoses	Procedures
DIABETES MELLITUS TYPE II - UNCOMPLICATED, UNCONTROL	SCREENING PAP OBTAIN, PREP, CONVEY CERV/VAG SMEAR T
OBESITY 278.00	WET MOUNTS,INCL PREP OF VAGINAL, CERV, OR SKIN SPECIM
VIRAL SYNDROME (NOS) 079.99	ECG 12-Lead 93000
POSTSURGICAL STATE V45.89	Pulse Oximetry 94760
	Incision And Drainage Of Skin Abscess 10060
Notes Templates	Orders
[List] vst-Complete Exam-jd	
Other Therapies	
Anticipatory Guidance: Sexual Activity	
Anticipatory Guidance: Unsafe Sexual Practices	
Gynecologic Services Contraceptive General Counseling	
Patient Education - Medication	
Regular Exercise	


I have selected the Diagnosis V45.89 because I do not see post op patients much. I then click Remove.



Remove

Template Selections	Search/Browse	Template Details
Template Name: <input type="text" value="enc-master coder-usafp1"/>		
Owner Type: <input type="text" value="Personal"/>		
User: <input type="text" value="JOHNSON, JEREMY D"/>		
Specialty: <input type="text"/>		
EM Code Category: <input type="text"/>		
Associated Reasons for Visit		Associated Appointments
visit for: screening exam malignant neoplasm cervix V76.2 NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31 NORMAL ROUTINE HISTORY AND PHYSICAL V70.0		ROUT
<input type="button" value="Add..."/> <input type="button" value="Remove"/>		<input type="button" value="Add..."/> <input type="button" value="Remove"/>
Associated Problems		Items to Autocite into
<input type="button" value="Add..."/> <input type="button" value="Remove"/>		Active Medications Active Problems Allergies
<input type="button" value="Add..."/> <input type="button" value="Remove"/>		<input type="button" value="Add..."/> <input type="button" value="Remove"/>
Diagnoses		Procedures
DIABETES MELLITUS TYPE II - UNCOMPLICATED, CONTROLLED DIABETES MELLITUS TYPE II - UNCOMPLICATED, UNCONTROLLED OBESITY 278.00 VIRAL SYNDROME (NOS) 079.99		SCREENING PAP OBTAIN, PREP, CONVEY CERV/VAG SMEAR T WET MOUNTS, INCL PREP OF VAGINAL, CERV, OR SKIN SPECIM ECG 12-Lead 93000 Pulse Oximetry 94760 Incision And Drainage Of Skin Abscess, 10000
<input type="button" value="Add..."/> <input type="button" value="Remove"/>		<input type="button" value="Add..."/> <input type="button" value="Remove"/>
Notes Templates		Orders
[List] vst--Complete Exam-jd		<input type="button" value="Add..."/> <input type="button" value="Remove"/>
<input type="button" value="Add..."/> <input type="button" value="Remove"/>		<input type="button" value="Add..."/> <input type="button" value="Remove"/>
Other Therapies		
Anticipatory Guidance: Sexual Activity Anticipatory Guidance: Unsafe Sexual Practices Gynecologic Services: Contraceptive General Counseling Patient Education - Medication Regular Exercise		<input type="button" value="Add..."/> <input type="button" value="Remove"/>

The diagnosis V45.89 is now gone.



Template Selections

Search/Browse

Template Details

Template Name enc-master coder-usafp1

Owner Type Personal

User JOHNSON, JEREMY D

Specialty

EM Code Category

Associated Reasons for Visit

visit for: screening exam malignant neoplasm cervix V76.2
NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31
NORMAL ROUTINE HISTORY AND PHYSICAL V70.0

Add...

Remove

Associated Problems

Add...

Remove

Diagnoses

NORMAL ROUTINE HISTORY AND PHYSICAL V70.0
NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31
visit for: military services physical V70.5
visit for: well baby exam V20.2
visit for: well child visit V20.2

Add...

Remove

Notes Templates

[List] vst-Complete Exam-|jd

Add...

Remove

Other Therapies

Anticipatory Guidance: Sexual Activity
Anticipatory Guidance: Unsafe Sexual Practices
Gynecologic Services Contraceptive General Counseling
Patient Education - Medication
Regular Exercise

Add...

Remove

Now you can add some diagnoses that you use often but are not on this template.

Procedures

SCREENING PAP OBTAIN, PREP, CONVEY CERV/VAG SMEAR T
WET MOUNTS,INCL PREP OF VAGINAL, CERV, OR SKIN SPECIM
ECG 12-Lead 93000
Pulse Oximetry 94760
Incision And Drainage Of Skin Abscess 10000

Add...

Remove

Orders

Add...

Remove

Diagnosis Search



Search Term

v76.2

Search

You will come to this screen.
Type in the code or the term
you are searching for. Then
click Search.

Add Items

Done

Diagnosis Search

Search Term v76.2

Search

+ Cervical Pap Smear V72.31

+ Cervical Pap Smear V76.2

Colposcopy V76.2

visit for: screening exam malignant neoplasm cervix V76.2

Select the appropriate diagnosis and then click Add Items.

Add Items

Done

Diagnosis Search

Search Term v76.47

Search

Vaginal Pap Smear V76.47

visit for: malign neoplasm vagina post-hysterectomy pap smear V76.47

+ visit for: screening exam malignant neoplasm vagina V76.47

If you want to add others, type in the term, click search, click on the term you want, and click Add Items. Click Done if you have no more terms to add.

Add Items

Done

The screenshot shows a medical software interface. On the left is a vertical menu with icons and text for various medical categories: Wellness, Immunizations, Vital Signs Re, PKC Couplers, Readiness, Patient Quest, Army Readine, Lab, Radiology, Clinical Notes, Previous Encount, Flowsheets, Current Encounte, and Screeninn. The main area on the right is divided into sections: 'Associated Problems' (empty), 'Diagnoses' (containing 'NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31', 'Oral Contraceptives V25.01', 'visit for: contraceptive surveillance pill V25.41', and 'Gynecologic Services Contraceptive General Counseling V25.09'), and 'Notes Templates' (containing '[List] vst-well woman exam-idi {JOHNSON, JEREMY D}'). Each section has 'Add...' and 'Remove' buttons. A red arrow points to a scroll-down arrow in the 'Diagnoses' section.

Now scroll down until you find the diagnoses you just added.

The screenshot displays a software interface with three main sections: 'Associated Problems', 'Diagnoses', and 'Notes Term'. The 'Diagnoses' section contains a list of medical terms: 'DEPRESSION 311', 'NORMAL ROUTINE HISTORY AND PHYSICAL V70.0', 'visit for: screening exam malignant neoplasm cervix V76.2', and 'visit for: screening exam malignant neoplasm vagina V76.47'. The third item is highlighted. To the right of the list are 'Add...' and 'Remove' buttons, and a set of up/down arrows. A red box highlights the up arrow, with a red arrow pointing to it from a text box. Below the interface is a large cyan text box with a red border containing instructions on how to move a diagnosis.

Click on the diagnosis you want to move then click the up arrow multiple times until the diagnosis is where you want it to be.

Diagnoses

- NORMAL ROUTINE HISTORY AND PHYSICAL V70.0
- NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31
- visit for: screening exam malignant neoplasm cervix V76.2
- visit for: military services physical V70.5
- visit for: well baby exam V70.0

Buttons: Add... Remove

I have moved it into the #3 position since I will use both V72.31 and V76.2 on almost every well woman exam.

Diagnoses

NORMAL ROUTINE HISTORY AND PHYSICAL V70.0
NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31
visit for: screening exam malignant neoplasm cervix V76.2
visit for: screening exam malignant neoplasm vagina V76.47
visit for: military services physical V70.5



Add...



Remove



I have also moved up V76.47 as this code should be used when a PAP is done on women without a cervix.

Template Selections Search/Browse **Template Details**

Template Name:

Owner Type:

User:

I can use the same buttons for the Procedures Section with one limitation.

Associated Appointment Types

ROUT	Add...
	Remove

Items to Autocite into Note

Active Medications	Add...
Active Problems	Remove
Allergies	

Procedures



SCREENING PAP OBTAIN, PREP, CONVEY CERV/VAG SMEAR T	Add...
WET MOUNTS,INCL PREP OF VAGINAL, CERV, OR SKIN SPECIM	Remove
ECG 12-Lead 93000	
Pulse Oximetry 94760	
Lesions And Diseases Of Skin Abscess, 10000	

Notes Templates

[List] vst--Complete Exam--jdj	Add...
	Remove

Other Therapies

Anticipatory Guidance: Sexual Activity	Add...
Anticipatory Guidance: Unsafe Sexual Practices	Remove
Gynecologic Services Contraceptive General Counseling	
Patient Education - Medication	
Regular Exercise	



One cannot add HCPCS terms (i.e. procedures that start with a letter). This is done with a very complex method and thus the key HCPCS terms are already in this template for you.

Procedure Search

Search Term 58100

Search

- + Biopsy Endometrial, Without Cervical Dilatation 58100
- Endometrial Biopsy By Hysteroscopy 58100
- Endometrial Biopsy By Suction 58100

You can add CPT codes. Type in the code, click Search, select the CPT code you want, Click Add Items, then click Done.

Add Items

Done

Template Selections

Search/Browse

Template Details

Template Name enc--gyn well woman--copy

Owner Type Personal

User JOHNSON, JEREMY D

EM C

Associat
visit for:

Associat

The procedure
now appears
under your list.

Add...

Remove

Associated Appointment Types

ROUT

Add...

Remove

Add...

Remove

Items to Autocite into Note

Active Medications

Active Problems

Allergies

Add...

Remove

Diagnoses

NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31

visit for: screening exam malignant neoplasm cervix V76.2

visit for: screening exam malignant neoplasm vagina V76.47

Oral Contraceptives V25.01

visit for: contraceptive surveillance pill V25.41

Add...

Remove

Procedures

INTRAUTERINE COPPER CONTRACEPTIVE J7300

INSERTION OF LEVONORGESTREL-RELEASING INTRAUTERINI

INJECTION, CEFTRIAXONE SODIUM, DEP 250 MG, 10000

Biopsy Endometrial, Without Cervical Dilation 58100

Add...

Remove

Notes Templates

[List] vst--well woman exam--jdj (JOHNSON, JEREMY D)

Add...

Remove

Orders

(Med)MITAMIN,PRENATAL--PO TAB

(Med)ETHINYL EST/NORELGEST (ORTHO EVRA)--TDRM

(Med)ORTHO TRI-CYCLEN--PO TAB

(Med)LOESTRIN FE 1/20 TAB 28DAY

(Med)MORPETHUINIDONE (MOR OD) PO 25MG TAB

Add...

Remove

Other Therapies

Anticipatory Guidance: Sexual Activity

Anticipatory Guidance: Unsafe Sexual Practices

Gynecologic Services: Contraceptive General Counseling

Patient Education - Medication

Regular Exercise

Add...

Remove

Other Therapies Search



Search Term

Search

Lose Weight

Patient Goals - Decrease

You can add therapies.
Type in the therapy, click
Search, select the
therapy you want, Click
Add Items, then click
Done.

Add Items

Done

File Edit View Go Tools Actions Help

Save Save As S/O A/P Cancel Close

Folder List

- Co-signs
- Sign Orders
- New Results
- Reports
- Tools
 - Template Ma
 - List Manager
 - Reminder Ma
 - Questionnaire
- Web Browser
- CHCS-I
- Immunizations Ad
- QQQAATEST, SPOU
 - Demographics
 - Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunizations
 - Vital Signs Re
 - PKC Couplers
 - Readiness
 - Patient Quest
- Army Readine
- Lab
- Radiology

Template Selections

Search/Browse

Template Details

Once you have made changes it is very important that you choose Save As and name it enc--master coder--usafp v2 (for version 2) so you do not lose all of your hard work.

Remove

(Med)ORTHO TF

File Edit View Go Tools Actions Help

Save Save As S/O A/P Cancel **Close**

- Folder List
- Co-signs
 - Sign Orders
 - New Results
 - Reports
 - Tools
 - Template Ma
 - List Manag
 - Reminder Ma
 - Questionaire
 - Web Browser
 - CHCS-I
 - Immunizations Ad
 - QQQAATEST, SPOU
 - Demographics
 - Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunizations
 - Vital Signs Re
 - PKC Couplers
 - Readiness
 - Patient Quest
 - Army Readine
 - Lab
 - Radiology

Template Selections

Search/Browse

Template Details

Template Name enc-gy well woman-jdj

Owner Type Personal

User JOHNSON, JER

Specialty

EM Code Category PREVENTIVE M

Associated Reasons for Visit

visit for: screening exam malignant neop

Associated Problems

Diagnoses

NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31
visit: cerv Pap smear confirm recent normal after init abn V72.32
Oral Contraceptives V25.01
visit for: contraceptive surveillance pill V25.41
Gynecologic Services, Contraceptive General Counseling V25.09

Notes Templates

[List] vst-well woman exam-jdj

Now click close to return to your encounter.

Create an order set and add
it to the master coder template

Notice how the word Add is grayed out under the Orders portion of the view/edit screen for your master coder encounter template. That is because you cannot add orders on this screen. You can only remove them.

The screenshot displays a medical software interface with several sections:

- Encounter Templates:** A list of templates including "EM", "Assoc visit for NORM", "Assoc", "Diagn", "NORM", "NORM visit for", "visit for", and "visit for military services physical V70 E".
- Notes Templates:** A section containing "[List] vst-Complete Exam-jdj" with "Add..." and "Remove" buttons.
- Other Therapies:** A list of therapies including "Anticipatory Guidance: Sexual Activity", "Anticipatory Guidance: Unsafe Sexual Practices", "Gynecologic Services Contraceptive General Counseling", "Patient Education - Medication", and "Regular Exercise".
- Orders:** A section with an "Add..." button that is grayed out and a "Remove" button. A red box highlights the "Add..." button, and a red arrow points to it from the text box.

Template Selections

Search/Browse

Template Details

Once you have added orders to your template you can use the up and down arrows to modify their priority on your encounter template.

Template Name

Owner

Location

Specialty

EM Code Category

Associated Reason

visit for: screening

Associated Problem

Diagnoses

NORMAL PELVIC EXAM WITH CERVICAL PAP SMEAR V72.31

visit for: screening exam malignant neoplasm cervix V76.2

visit for: screening exam malignant neoplasm vagina V76.47

Oral Contraceptives V25.01

visit for: contraceptive surveillance pill V25.41

Notes Templates

[List] vst--well woman exam--jdj (JOHNSON, JEREMY D)

Other Therapies

Instructions: Use A Condom During Sexual Intercourse

Anticipatory Guidance: Seat Belts

High Fiber Diet

Lose Weight

SCREENING PAP OBTAIN, PREP, CONVEY CERV/VAG SMEAR T

WET MOUNTS,INCL PREP OF VAGINAL, CERV, OR SKIN SPECIM

Pulse Oximetry 94760

Dr. Supervised Injection Intramuscular 90772

INJ MEDRONYDROGESTERONE ACETATE END CONTRACEP I

Orders

(Med)ETHINYL EST/NORELGEST (ORTHO EVRA)-TDRM

(Med)ORTHO TRI-CYCLEN--PO TAB

(Med)LOESTRIN FE 1/20 TAB 28DAY

(Med)NORETHINDRONE (NOR-QD)--PO 35MCG TAB

(Med)CLOTIMAZOLE VAG 1% CREM

Date: 12 Feb 2007 1700 PST

Status: In Progress

Treatment Facility: Madigan AMC-Fort Lewis

Primary Provider: JOHNSON, JEREMY D

Type: ACUT

Clinic: M FP GOLD TEAM CLINIC

Patient Status: Outpatient

° Normal. ° No abnormal secretion. ° No dimpling was seen. ° No mass was found.

Left breast:

° Normal. ° No abnormal secretion. ° No dimpling was seen. ° No mass was found.

Lungs:

° Exaggerated use of accessory muscles for inspiration was not observed. ° Clear to auscultation. ° Normal breath sounds/voice sounds. : ° No wheezing was heard. ° No rales/crackles were heard.

Cardiovascular system:

Heart Rate And Rhythm: ° Normal.

Heart Sounds: ° Normal.

Murmurs: ° No murmurs were heard.

Abdomen:

Auscultation: ° Bowel sounds were normal. ° A bruit was not heard in the abdomen.

Palpation: ° Abdomen was soft. ° No abdominal tenderness. ° No mass was palpated in the abdomen.

Hepatic Findings: ° Liver was not enlarged.

Splenic Findings: ° Spleen was not enlarged.

Hernia: ° No hernia was discovered.

Genitalia:

External: ° Genitalia showed no abnormalities.

Vagina: ° Mucosa was normal. ° No vaginal discharge was observed. ° No vaginal vesicle was observed. ° Not tender. ° No cystocele was observed. ° No rectocele was observed.

Pelvic exam:

Cervix: ° A sample was taken for a Pap smear. ° No cervical discharge was seen. ° Showed no lesion. ° Did not demonstrate pain elicited by motion.

Uterus: ° Position was normal. ° Not enlarged.

Uterine Adnexae: ° Uterine adnexa was normal.

Rectum:

Anus: ° Anal sphincter tone was normal.

Rectum: ° Had no mass.

Skin:

° No lesions on the right breast. ° No lesions on the left breast.

A/P


A/P Written by JOHNSON, JEREMY D @ 1

Disposition


AddNote

To add orders to your template, go to the A/P section of any patient note.

If your master coder template is selected, you will see there are no orders in the order set. That is because these orders are only valid in the region where the encounter template is made (i.e. Pacific Northwest).



To add a medication to your order set, click on the Order Med tab.



Priority Type Priority Orders & Procedures

▲ ▼ <>

Diagnosis | Order Sets | Procedure | Reminders | Order Consults | Order Lab | Order Rad | **Order Med** | Other Therapies

Patient's Weight: 123 lbs; 55.79 kg

New Med Order Search

Item Name:

Expand SIG

SIG:

Qty:	<input type="text"/>	Max	<input type="text"/>	Days Supply	<input type="text"/>	Default	<input type="text"/>
Refills:	<input type="text"/>		<input type="text"/>	Maximum		Start Date:	<input type="text"/>

12-Feb-2007

Note to Provider:


Dispensing Location: MADIGAN MAIN PHARMACY

Comments: (Optional)

More Detail ... Clear Save To Queue Submit

Current Outpatient Medications

Show Orders



Order the medication as you normally would but instead of submitting the order, click Save To Queue.

New Med Order

TRI-LEVLEN Search

Item Name:

TRI-LEVLEN TRIPHASIL-28DAY--PO TAB 28TABS/PKG

Expand SIG

SIG: FOLLOW PATIENT PACKAGE INSERT #3 RF3

Qty: 3 Max 3 Days Supply 30 Default Unit: 28TABS/PKG
Refills: 3 12 90 Maximum Start Date: 12-Feb-2007

Expanded SIG:

Ordering Provider: JOHNSON, JEREMY D

Note to Provider:

***MFG BACK ORDER NOT AVAILABLE UNTIL FEB 07** ORDER PER PACK

Dispensing Location:

MADIGAN MAIN PHARMACY

Comments: [Optional]

Less Detail ... Clear Save To Queue Submit

Requesting Location:

M FP GOLD TEAM CLINIC

Child-Resistant Cap

Continue this process with any other medication orders you need.

is saved.

SON, JEREMY D in Madigan FP Gold Team Clinic at




Priority ICD Diagnosis Chronic/Acute Type

Priority

Orders & Procedures

LEVLEN--PO TAB 28 PACK
TRIPHASIL-28DAY--PO TAB

You will see your orders at the top right of the screen with a line under them meaning they are in the Queue.



Order Med Other Therapies

Item Name:

SIG:

Qty: Max: Days Supply: Default Unit:

Refills: Maximum

Expanded SIG:

Start Date:

Ordering Provider:

Dispensing Location:

Comments: (Optional)

Less Detail ... Clear Save To Queue Submit

Requesting Location:

Child-Resistant Cap

Current Outpatient Medications

Diagnosis | Order Sets | Procedure | Reminders | Order Consults | Order Lab | **Order Rad** | Order Med | Other Therapies

New Rad Order Search

Rad Section: [ALL SECTIONS]

Procedure Name: CHEST, PA/LAT

Clinical Impression: .

Priority
 Routine ASAP STAT Notify Preop

Notes to Provider:

Immediate Reading

Comments: (Optional)

More Detail ... Clear **Save To Queue** Submit

Outstanding Radiology Orders

You can add a Rad order. In this case I chose a CXR. You have to put something under clinical impression: I put a period for now. Later I can modify the clinical impression for each patient I use this order for. Choose Save to Queue.

Diagnosis | Order Sets | Procedure | Reminders | Order Consults | **Order Lab** | Order Rad | Order Med | Other Therapies

New Lab Order Search

Lab Section: [ALL SECTIONS]

Lab Test Name: Show Items in Panel

Processing Priority
 Routine ASAP STAT Notify Preop

Comments: (Optional)

Notes to Provider:

Specimen: Show Collection Choices Show Required Comments

SAMPLE: URINE
TYPE: URINE,RANDOM
CONTAINER: STERILE CONTAINER
COMMENTS: Very dilute urine samples as indicated by a low specific gravity may not contain representative levels of hcg. If pregnancy is still suspected, a first morning urine sample or preferred serum sample should be collected and

More Detail ... Clear **Save To Queue** Submit

Outstanding Laboratory Orders

View Orders

Do the same for lab orders and choose Save to Queue.

Priority	ICD	Diagnosis	Chronic/Acute	Type

Priority

▲

▼

<>

Orders & Procedures

LEVLEN--PO TAB 28 PACK

TRIPHASIL-28DAY--PO TAB

URINE HCG

CHEST, PA/LAT

Diagnosis | **Order Sets** | Procedure | Reminders | Order Consults | **Order Lab** | Order Rad | Order Med | Other Therapies

New Lab Order

Search

Lab Section: [ALL SECTIONS]

Lab Test Name:

Processing Priority

Routine ASAP STAT Notif Prep

Comments: (Optional)

Notes to Provider:

Specimen: Show Collection Choices Show Required Comments

Once you have added all desired orders, click on Order Sets.

Priority ICD Diagnosis Chronic/Acute Type Priority

Orders & Procedures
LEVLEN--PO TAB 28 PACK
TRIPHASIL-28DAY--PO TAB
URINE HCG
CHEST, PA/LAT

Diagnosis **Order Sets** Procedure Reminders Order C

<< >> enc--master order--usafp1 Ordering Provi

Select	Modify	Name
<input checked="" type="checkbox"/>	<input type="checkbox"/>	URINE HCG
<input checked="" type="checkbox"/>	<input type="checkbox"/>	CHEST, PA/LAT
<input checked="" type="checkbox"/>	<input type="checkbox"/>	LEVLEN--PO TAB 28 PACK
<input checked="" type="checkbox"/>	<input type="checkbox"/>	TRIPHASIL-28DAY--PO TAB

UnSelect All Select All Refresh Data Submit Save as Order Set

You will see your queued orders under the Order Sets tab with a check mark by them under the word Select.

Priority ICD Diagnosis Chronic/Acute Type

Priority

Orders & Procedures

LEVLEN--PO TAB 28 PACK
TRIPHASIL-28DAY--PO TAB
URINE HCG
CHEST, PA/LAT

▲
▼
<>

Diagnosis **Order Sets** Procedure Reminders Order Consults Order Lab Order Rad Order Med Other Therapies

<< >> enc--master coder--usafp1

Now click
Save as
Order Set.

Select	Modify	Name
<input checked="" type="checkbox"/>	<input type="checkbox"/>	URINE HCG
<input checked="" type="checkbox"/>	<input type="checkbox"/>	CHEST, PA/LAT
<input checked="" type="checkbox"/>	<input type="checkbox"/>	LEVLEN--PO TAB 28 PACK
<input checked="" type="checkbox"/>	<input type="checkbox"/>	TRIPHASIL-28DAY--PO TAB

IN PACKAGE INSERT (LEVLIN EQUIVA
PACKAGE INSERT #3 RF3 QTY 3 RF :

UnSelect All Select All Refresh Data

Submit

Save as Order Set

Save Encounter Template

Save in: Personal

Folder: Personal List

Template Name

- enc--gen medicin template--jdi
- enc--gyn well woman--copy
- enc--gyn well woman--jdi
- enc--headache--pppno
- enc--low back pain--jdi
- enc--master coder--usafr v2**
- enc--uri--jdi
- ord--OB labs--jdi
- ord--acne--jdi
- ord--anemia meds--jdi
- ord--anemia meds--jdi

Template Name: enc--master coder--usafr v2

Specialty:

Add to Favorites

Shared

Save

Cancel

You will see this box. Choose Save in: Personal, then choose the most up to date encounter template (in this case I am using version 2 of my master coder template- v2).

Save Encounter Template

Save in: Personal

Folder: Personal List

Template Name
enc--gen medicin template--jdi
enc--gyn well woman--copy
enc--gyn well woman--jdi
enc--headache--pppno
enc--low back pain--jdi
enc--master coder--usafp v2
enc--uri--jdi
ord--OB labs--jdi
ord--acne--jdi
ord--anemia meds--jdi
ord--anemia meds--jdi

Template Name: enc--master coder--usafp v2

Specialty:


Add to Favorites

Shared

Save

Cancel

Make sure your Template Name appears below and that Add to Favorites is checked. Then click Save.



At this step click Add To and you will add these orders to your encounter template.

File Edit View Go Tools Actions Help

Preview Save Delete **Templates** SQ Disposition Sign Modifiers Submit All Close

QQQAATEST, SPOUSEMAMC F 30/800-06-7401 37yo F FM: DOB:24 Feb 1969

Folder List

- Reminder Ma
- Questionnaire
- Web Browser
- CHCS-I
- Immunizations Ad
- QQQAATEST, SPOU
- Demographics
- Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunizations
 - Vital Signs Re
 - PKC Couplers
 - Readiness
 - Patient Quest
 - Army Readine
- Lab
- Radiology
- Clinical Notes
- Previous Encoun

Priority	ICD	Diagnosis	ICD	Procedure	ICD	Reminders	ICD	Order Consults	ICD	Order Lab	ICD	Order	Type

To show that the orders went through, click Templates.

Diagnosis **Order Sets** Procedure Reminders Order Consults Order Lab Order

<< >> enc--master coder--usafp1 Ordering Provider: JOHNSON, JEREMY D

Select	Modify	Name	Details
<input checked="" type="checkbox"/>	<input type="checkbox"/>	URINE HCG	Routine URINE
<input checked="" type="checkbox"/>	<input type="checkbox"/>	CHEST, PA/LAT	Routine
<input checked="" type="checkbox"/>	<input type="checkbox"/>	LEVLEN--PO TAB 28 PACK	USE AS DIRECTED I

Template Selections

Search/Browse

Template Details

Search Parameters

Appointment Type

Problems

Reason(s) for Visit

Name Search FindNow

Folders

Begins With Contains Case Insensitive

Templates

- Autosearch Results (0)
- My Favorites (84)**
 - dx--cardiovascular--bfr (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--chest pain--jdj (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--dermatology--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--endocrine--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--general--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--genital urinary rectal--bfr (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--gi--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--hematology, lab findings--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--infectious disease, std--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--musculoskeletal--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--neurologic--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--obgyn--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--physicals, srp, pdp--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
 - dx--psych--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)

Find your template by expanding your Favorites.

Add

Remove

Selected Templates

Template Name	Scope	Owner

OK

Cancel

File Edit View Go Tools Actions Help

Refresh Search **View/Edit** New Save As Add Favorite Remove Favorite Import Export Move To Folder S/O A/P Close

Folder List

- Template Manager
- List Manager
- Reminder Manager
- Questionnaire
- Web Browser
- CHCS-I
- Immunizations Admin
- QQQAATEST, SPOU
- Demographics
- Health History
- Problems
- Meds
- Allergy
- Wellness
- Immunizations
- Vital Signs Re
- PKC Couplers
- Readiness
- Patient Quest
- Army Readine
- Lab
- Radiology
- Clinical Notes
- Previous Encount
- Flowsheets

Template Selections

Search/Browse

Template Details

Search Parameters

Appointment Type

Reason(s) for Visit

Folders

Templates

	enc--gen aim peds template--pppno
	enc--gen aim template--pppno (M
	enc--gerd--pppno (M FP ACUTE
	enc--gi--pppno (M FP ACUTE CA
	enc--gyn well woman--jdj
	enc--headache--pppno
	enc--hip pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--htn--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--knee pa--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--low back pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--master coder--usafp v2
	enc--neck pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--neurology--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--New OB visit--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--overweight eval--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
	enc--peds ADHD Follow Up--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)

Select your template and then select View/Edit.

Template Selections

Search/Browse

Template Details

Template Name: enc--master coder-usafp v2

Owner Type: Personal

User: JOHNSON, JEREMY D

Specialty:

EM Code Category:

Associated Reasons for Visit

NORM
NORM
visit for

Add...
Remove

Associated Appointment Types

ROUT

Add...
Remove

Associ

Add...
Remove

Items to Autocite into Note

Active Medications
Active Problems
Allergies

Add...
Remove

Diagno

NORM
NORM
visit for
visit for

Add...
Remove

Procedures

SCREENING PAP OBTAIN, PREP, CONVEY CERV/VAG SMEAR T
WET MOUNTS, INCL PREP OF VAGINAL, CERV, OR SKIN SPECIM
ECG 12-Lead 93000
Pulse Oximetry 94760
Incision And Drainage Of Skin Abscess 10060

Add...
Remove

Notes

[List] v

Add...
Remove

Orders

(Med)LEVLEN--PO TAB 28 PACK
(Med)TRIPHASIL-28DAY--PO TAB
(Lab)URINE HCG
(Rad)CHEST, PA/LAT

Add...
Remove

Other Therapies

Anticipatory Guidance: Sexual Activity
Anticipatory Guidance: Unsafe Sexual Practices
Gynecologic Services: Contraceptive General Counseling
Patient Education - Medication
Regular Exercise

Add...
Remove

You can see that your orders made it to the encounter template.



File Edit View Go Tools Actions Help

Save Save As S/O A/P Cancel Close

Folder List
Template Ma

**Click Close
to return
back to your
patient
encounter.**

Template Selections Search/Br

Template Name enc--master coder--usafp
Owner Type Personal
User JOHNSON, JEREMY D
Specialty
EM Code Category

Associated Reasons for Visit
NORMAL ROUTINE HISTORY AND PHYSICAL V70
NORMAL PELVIC EXAM WITH CERVICAL PAP SME
visit for: screening exam malignant neoplasm cervix V
Associated Problems

Now if you want to submit your queued orders (or orders from your encounter template), make sure the select box is checked next to them. Click the modify box as well if you have to change the clinical impression then click submit.

Priority	ICD	Diagnosis
1	V70.0	NORMAL

Plan/Comment

Diagnosis | **Order Sets** | Proc

<< >> enc--master coder--usa

Select	Modify	Name
<input checked="" type="checkbox"/>	<input type="checkbox"/>	URINE HCG
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	CHEST, PA
<input checked="" type="checkbox"/>	<input type="checkbox"/>	LEVLEN-PO TAB 28 PACK
<input checked="" type="checkbox"/>	<input type="checkbox"/>	TRIPHASIL-28DAY-PO TAB

USE AS DIRECTED IN PACKAGE INSERT (LEVELIN EQUIVA
FOLLOW PATIENT PACKAGE INSERT #3 RF3 QTY 3 RF :

UnSelect All | Select All | Refresh Data | **Submit** | Save as Order Set

Order Sets

Processing item(s) selected for modification ...
PRESS CANCEL TO STOP

Please press submit to accept an order or clear to cancel it

4 of 4
RAD order: CHEST, PA/LAT

Cancel

Privacy Act of 1974/FOUO)

Submit All Close

37yo F FM: DOB:24 Feb 1969

Chronic/Acute Type Priority Orders & Proc

- web browser
- CHCS-I
- Immunizations Ad
- QQQAATEST, SPOU
- Demographics
- Health History
 - Problems
 - Meds
 - Allergy
 - Wellness
 - Immunizations
 - Vital Signs Re
 - PKC Couplers
 - Readiness
 - Patient Quest
 - Army Readine
- Lab
- Radiology
- Clinical Notes
- Previous Encount
- Flowsheets
- Current Encounte
- Screening
- Vital Signs Er
- S/O

When prompted, enter the clinical impression and then click Submit.

Diagnosis | Order Sets | Procedure

New Rad Order

Rad Section: [ALL SECTIONS]

Procedure Name: CHEST, PA/LAT

Clinical Impression: This is the real reason for the order!

Priority: Routine ASAP STAT Notify Preop

Notes to Provider:

Immediate Reading

Comments: (Optional)

More Detail ... Clear Save To Queue Submit

Outstanding Radiology Orders

ATEST, SPOUSEMAMC F 30/800-06-7401 37yo F FM: DOB:24 Feb 1969

- Questionnaire
- Web Browser
- CHCS-I
- Immunizations Ad
- QAATEST, SPOU
- Demographics
- Health History
- Problems
- Meds
- Allergy
- Wellness
- Immunizations
- Vital Signs Re
- PKC Couplers
- Readiness
- Patient Quest
- Army Readine
- Lab

Priority	ICD	Diagnosis	Chronic/Acute	Type
1	V70.0	NORMAL ROUTINE HISTORY AND	Acute	New
Plan/Comments				

Priority

Orders & Procedures

- LEVLEN--PO TAB 28 PACK
- TRIPHASIL-28DAY--PO TAB
- URINE HCG
- CHEST, PA/LAT

Diagnosis Order Sets Procedure Reminders Order Consults Order Lab Order Rad Order Med Other Therapies

<< >>

Find Now

If you don't want to apply the queued orders to your current patient, click on the order and then click Delete.



Submit All Close

01 37yo F FM: DOB:24 Feb 1969

[!]

Options X

	Chronic/Acute	Type
ROUTINE HISTORY AND	Acute	New

Priority

▲
▼
<>

- Orders & Procedures
- TRIPHASIL-28DAY--PO TAB
 - URINE HCG
 - CHEST, PA/LAT

You can see that Levlen is now gone.

Procedure Reminders Order Rad Order Med Other Therapies

1 Problem Find Now

New Lab Order Search

Lab Section:

Lab Test Name: Show Items in Panel

Processing Priority
 Routine ASAP STAT Notify Preop

Comments: (Optional)

Notes to Provider:

Specimen:

SAMPLE:	BLOOD
TYPE:	BLOOD
CONTAINER:	LAV

JEREMY D in Madigan FP Gold Team Clinic at



As you go throughout your regular clinic day and you come to an order that is not on your encounter template, just save it to queue and then add it to your encounter template using the previous steps.

Priority	ICD	Diagnosis	Chronic/Acute	Type	Priority	Orders & Procedures
1	V70.0	NORMAL ROUTINE HISTORY AND				TRIDUACIL 30DAY DO TAB

Using this technique, you can build a robust encounter template with an order set that will save you time and will have the majority of the orders you use for your patients.

Diagnosis **Order Sets** Procedure Reminders Order Consult

<< >> enc-master coder-usafp v2 Ordering Provider:

Select	Modify	Name	
<input type="checkbox"/>	<input type="checkbox"/>	URINE HCG	
<input type="checkbox"/>	<input type="checkbox"/>	CYTOLOGIC GYN	
<input type="checkbox"/>	<input type="checkbox"/>	CHLAMYDIA + GC PROBE	
<input type="checkbox"/>	<input type="checkbox"/>	LIPID PROFILE	
<input type="checkbox"/>	<input type="checkbox"/>	ALT,ALP,ALB,TBILI+AST,GGT(MAMC	Routine BLOOD (SERUM)
<input type="checkbox"/>	<input type="checkbox"/>	URINALYSIS	Routine BLOOD (SERUM)
<input type="checkbox"/>	<input type="checkbox"/>	CBC	Routine
<input type="checkbox"/>	<input type="checkbox"/>	CHEM 7+CA+PO4(MAMC ONLY)	Routine
<input type="checkbox"/>	<input type="checkbox"/>	THYROID STIMULATING HORMONE	Routine
<input type="checkbox"/>	<input type="checkbox"/>	CHEST, PA/LAT	Routine
<input type="checkbox"/>	<input type="checkbox"/>	DEXA BN DEN STDY HIP/SPINE SEE MAMC CLIN STN	Routine
<input type="checkbox"/>	<input type="checkbox"/>	MAMMOGRAM, ANNUAL SCREENING (NORMAL EXAM	Routine

UnSelect All Select All Refresh Data Submit Save as Order Set

Final Step

Remove the old versions of
your encounter templates

File Edit View Go Tools Actions Help

Refresh Add Note Providers Templates Sign Save As Template Close

QQQAATEST, ACTIVEMAMC A 20/800-06-7401 38yo M SGT DOB:24 D

Folder List

- Desktop
 - Alert Review
 - Appointments
 - Telephone Consults
 - Search
 - Patient List
 - Consult Log
 - Co-signs
 - Sign Orders
 - New Results
 - Reports
 - Tools
 - Web Browser
 - CHCS-I
 - Immunizations Admin
- QQQAATEST, ACTIVEMAMC
 - Demographics

Date: 29 Jan 2007 1357 PST

Status: Checked-In

Primary Provider: JOHNSON, JEREMY D

Type: ACUT

Patient Status: Outpatient

Reason

AutoCite...

AutoCite...

Problems

- head
- ESS
- MAR
- ACU
- DIAB
- OTIT
- LATE
- HYP
- W
- ASTHMA AND BRONCHITIS
- Inquiry And Counseling: For Marital Conflict
- PARTNER RELATIONAL PROBLEM
- PORTAL HYPERTENSION
- WARTS FOOT LEFT

Click the Templates Button at the top of the opening screen.

Template Selections

Search/Browse

Template Details

Search Parameters

Appointment Type

Problems

Reason(s) for Visit

Name Search FindNow

Folders

Begins With Contains Case Insensitive

Templates

- Autosearch Results (0)
- My Favorites (84)**
- EPC MADIGAN
- M FAM PRACTICE OBS CLINIC
- M FP ACUTE CARE TEAM CLINIC
- M FP BLUE TEAM CLINIC
- M FP CLINICAL PHARM
- M FP GOLD TEAM CLINIC (94)
 - Chronic Pain complete-nap (M FP GOLD TEAM CLINIC)
 - dx--cardiovascular-bfr (M FP GOLD TEAM CLINIC)
 - dx--chest pain-idx (M FP GOLD TEAM CLINIC)
 - dx--dermatology-pppno (M FP GOLD TEAM CLINIC)
 - dx--endocrine-pppno (M FP GOLD TEAM CLINIC)
 - dx--general-pppno (M FP GOLD TEAM CLINIC)
 - dx--genital urinary rectal-bfr (M FP GOLD TEAM CLINIC)
 - dx--gi-pppno (M FP GOLD TEAM CLINIC)

Click the + sign next to My Favorites.

Add

Remove

Selected Templates

Template Name	Scope	Owner

OK

Cancel

Template Selections

Search/Browse

Search Parameters

Appointment Type

Reason(s) for Visit

Folders

Templates

	enc--gen aim template--pppno	(M FP ACUTE O
	enc--gerd--pppno	(M FP ACI
	enc--gi--pppno	(M FP ACUTI
	enc--gyn well woman--jdj	
	enc--headache--pppno	
	enc--hip pain--pppno	(M FP A
	enc--htrn--pppno	(M FP ACU
	enc--knee pain--pppno	(M F
	enc--low back pain--pppno	(
	enc--master coder--usaip	
	enc--master coder--usaip v2	

Find the old
version of your
encounter
template.

emplates

- enc--gen aim template--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
- enc--gerd--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
- enc--gi--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
- enc--gyn well woman--jdj
- enc--headache--pppno
- enc--hip pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
- enc--htn--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
- enc--knee pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
- enc--low back pain--pppno (M FP ACUTE CARE TEAM CLINIC BGAD)
- enc--master co
- enc--master co
- enc--neck pain
- enc--neurology
- enc--New OB
- enc--overweigh
- enc--peds ADH

- Add to Selected Templates
- Default Encounter Template
- Reset Default Encounter Template
- New Template
- Delete/Remove Template
- Remove from Favorites
- Add To Shared
- Export Template
- Import Template
- Move To Folder

Right click on this and select Delete/Remove Template.

Selected Templates

Template Name

Scope

Click Yes and
it is gone.

Military Clinical Desk

Are you sure you want to delete this template?

Yes

No

	enc--gen aim template--pppno	(M FP ACUTE CARE TE
	enc--gerd--pppno	(M FP ACUTE CARE TEAM CLINIC E
	enc--gi--pppno	(M FP ACUTE CARE TEAM CLINIC BG
	enc--gyn well woman--jdi	
	enc--headache--pppno	
	enc--hip pain--pppno	(M FP AC
	enc--htn--pppno	(M FP ACUTE
	enc--knee pain--pppno	(M FP
	enc--low back pain--pppno	(M
	enc--master coder--usafr v2	
	enc--neck pain--pppno	(M FP
	enc--neurology--pppno	(M FP
	enc--New OB visit--pppno	(M FP ACUTE CARE TEAM
	enc--overweight eval--pppno	(M FP ACUTE CARE TEA
	enc--peds ADHD Follow Up--pppno	(M FP ACUTE CAF
	enc--peds adhd--pppno	(M FP ACUTE CARE TEAM CL

Only the newest version of your encounter template remains.

END